FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL: 1-800-654-6911 (OUTSIDE

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®: 1-800-424-9300 (OUTSIDE

USA: 1-703-527-3887)

FOR ALL SDS QUESTIONS & REQUESTS, CALL: 1-800-511-MSDS (OUTSIDE

USA: 1-423-780-2347)

USA: 1-423-780-2970)

## PRODUCT NAME: APPLIED BIOCHEMISTS TILE MAX PLUS

# **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Supplier REVISION DATE: 05/26/2015

**Applied Biochemists** SUPERCEDES: 05/09/2005 **1400 Bluegrass Lakes Parkway**,

Alpharetta, GA, 30004 MSDS Number: 000000024395

SYNONYMS:
CHEMICAL FAMILY: None

Telephone: +17705215999
Telefax: +17705215999
Web: www.poolspacare.com

CHEMICAL FAMILET: None

DESCRIPTION / USE
FORMULA: None established
None established

Manufacturer
Advantis Technologies
1200 Bluegrass Lakes Parkway
Alpharetta, GA 30004

United States of America

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Corrosive to metals : Category 1

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 3

Skin corrosion : Category 1A

Serious eye damage : Category 1

Specific target organ toxicity - : Category 3 (Respiratory system)

single exposure

APPLIED BIOCHEMISTS TILE MAX PLUS

REVISION DATE: 05/26/2015 Page 1 of 13

#### **GHS Label element**

Hazard pictograms :







Signal word : Danger

Hazard statements : H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

Precautionary statements : **Prevention:** 

P234 Keep only in original container.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER

or doctor/physician if you feel unwell. Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT

induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately

all contaminated clothing. Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON

CENTER or doctor/ physician.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER

or doctor/ physician.

P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

P405 Store locked up.

P406 Store in corrosive resistant stainless steel container with a

resistant inner liner.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

#### Other hazards

None known.

APPLIED BIOCHEMISTS TILE MAX PLUS

REVISION DATE: 05/26/2015 Page 2 of 13

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>CAS OR CHEMICAL NAME</u> Tallow alkyl amines, ethoxylated	<u>CAS#</u> 61791-26-2	% RANGE 10 - 20
SULFURIC ACID	7664-93-9	10 - 15
HYDROCHLORIC ACID	7647-01-0	6 - 12
PHOSPHORIC ACID	7664-38-2	5 - 10
Secondary alcohol ethoxylate	84133-50-6	1 - 3

## **SECTION 4. FIRST AID MEASURES**

Inhalation: IF INHALED: Remove individual to fresh air. Seek medical attention if breathing

becomes difficult or if respiratory irritation develops. If not breathing, give artificial

respiration. Call for medical assistance.

Skin Contact: IF ON SKIN: Immediately flush skin with plenty of water for 15 minutes. If clothing

comes in contact with the product, the clothing should be removed immediately and laundered before re-use. Seek medical attention if irritation develops.

Eye Contact: IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes.

Seek medical attention immediately.

Ingestion: IF SWALLOWED: Call a physician immediately. DO NOT induce vomiting unless

directed to do so by a physician. Never give anything by mouth to an unconscious

person.

Notes to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

### **SECTION 5. FIREFIGHTING MEASURES**

Flammability Summary (OSHA): Product is not known to be flammable, combustible, pyrophoric or

explosive.

Flammable Properties

Fire / Explosion Hazards: Material will not ignite or burn. Reacts with most metals to form

flammable hydrogen gas.

Extinguishing Media: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

APPLIED BIOCHEMISTS TILE MAX PLUS

REVISION DATE: 05/26/2015 Page 3 of 13

Fire Fighting Instructions: In case of fire, use normal fire-fighting equipment and the personal

protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus. Use water spray to

cool unopened containers.

Hazardous Combustion Products: During a fire, irritating and highly toxic gases may be generated by

thermal decomposition or combustion.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal Protection for Emergency

Situations:

Additional protective clothing must be worn to prevent personal contact with this material. Those items include but are not limited to

boots, impervious gloves, hard hat, splash-proof goggles,

impervious clothing, i.e., chemically impermeable suit, self-contained

breathing apparatus.

**Spill Mitigation Procedures** 

Air Release: Keep people away from and upwind of spill/leak.

Water Release: If the product contaminates rivers and lakes or drains inform

respective authorities.soluble

Land Release: Contain spillage, soak up with non-combustible absorbent material,

(e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).Do not contaminate ponds, waterways or ditches with

chemical or used container.

Additional Spill Information: Prevent further leakage or spillage if safe to do so. Use personal

protective equipment as required. Evacuate personnel to safe areas.

Remove all sources of ignition.

## **SECTION 7. HANDLING AND STORAGE**

Handling: Do not take internally. Avoid contact with skin, eyes and clothing. If

in eyes or on skin, rinse well with water. Avoid breathing vapours,

mist or gas.

Storage: Store in a cool, dry and well ventilated place. Isolate from

incompatible materials. Do not freeze.

Incompatible Materials for Storage:

Refer to Section 10, "Incompatible Materials."

**Empty Container Warning:** 

Empty containers retain hazardous residue, dispose of accordingly.

APPLIED BIOCHEMISTS TILE MAX PLUS

REVISION DATE: 05/26/2015 Page 4 of 13

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: Local exhaust ventilation or other engineering controls are normally required

when handling or using this product to keep airborne exposures below the

TLV, PEL or other recommended exposure limit.

Protective Equipment for Routine Use of Product

Respiratory Protection: Wear a NIOSH approved respirator if levels above the exposure limits are

possible., A NIOSH approved full-face air purifying respirator with acid gas cartridge and N-95 filter. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed

ten (10) times the published limit.

Skin Protection: Avoid contact with skin. Impervious gloves Boots Apron A full impervious suit

is recommended if exposure is possible to a large portion of the body.

Eye Protection: Chemical resistant goggles must be worn. Face-shield

Protective Clothing Type: Neoprene, Butyl rubber, Natural rubber

General Protective Ensure that eyewash stations and safety showers are close to the

Measures: workstation location.

#### Components with workplace control parameters

Components (CAS-No.)	Value	Control parameters	Basis (Update)
SULFURIC ACID (7664-93-9)	TWA	0.2 mg/m3	ACGIH (02 2014)
HYDROCHLORIC ACID (7647-01-0)		2 ppm	ACGIH (02 2014)
PHOSPHORIC ACID (7664-38-2)	TWA	1 mg/m3	ACGIH (02 2014)
	STEL	3 mg/m3	ACGIH (02 2014)

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical State: liquid
Form No data.
Color: No data.
Odor: No data.

Molecular Weight: None established

pH: 0.0 - 2.0

()

Boiling Point: 212 °F (100 °C)

Melting point/freezing Not applicable

point

Bulk Density: (

no data available not determined

Vapor Pressure: r
APPLIED BIOCHEMISTS TILE MAX PLUS

REVISION DATE: 05/26/2015 Page 5 of 13

Vapor Density: > 1

Viscosity: no data available
Solubility in Water: soluble in cold water
Partition coefficient n- Not applicable

octanol/water:

Evaporation Rate: No data
Oxidizing: None established
Volatiles, % by vol.: no data available

VOC Content no data available This product does not contain any chemicals

listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

HAP Content Not applicable

#### SECTION 10. STABILITY AND REACTIVITY

Stability and Reactivity Summary: Stable under normal conditions.

Conditions to Avoid: Heat, flames and sparks.

Chemical Incompatibility: Strong oxidizing agents, Bases, Amines, Metals, alkalis

Hazardous Decomposition Products: Hydrogen chloride

Decomposition Temperature: No data

# **SECTION 11. TOXICOLOGICAL INFORMATION**

#### Component Animal Toxicology

Oral LD50 value:

Tallow alkyl amines, LD50 620 mg/kg Rat

ethoxylated

LD50 500 mg/kg Rat

SULFURIC ACID LD50 = 2,140 mg/kg Rat HYDROCHLORIC ACID LD50 900 mg/kg Rabbit PHOSPHORIC ACID LD50 = 1,530 mg/kg Rat Secondary alcohol LD50 = 1,630 mg/kg Rat

ethoxylate

Component Animal Toxicology

Dermal LD50 value:

Tallow alkyl amines, LD50 > 10,000 mg/kg Rat

ethoxylated

SULFURIC ACID LD50 > 2,000 mg/kg Rabbit

HYDROCHLORIC ACID No data

PHOSPHORIC ACID LD50 = 2,740 mg/kg Rabbit Secondary alcohol LD50 = 1,127 mg/kg Rabbit

ethoxylate

APPLIED BIOCHEMISTS TILE MAX PLUS

REVISION DATE: 05/26/2015 Page 6 of 13

**Component Animal Toxicology** 

Inhalation LC50 value:

Tallow alkyl amines, No data

ethoxylated

SULFURIC ACID LC50 1 h (aerosol) = 1.02 mg/l Rat

HYDROCHLORIC ACID Inhalation LC50 1 h 3124 ppm Rat

PHOSPHORIC ACID Inhalation LC50 1 h > 0.850 mg/l Rat

Secondary alcohol

ol LC50 1 h (aerosol) = 4.24 mg/l Rat

ethoxylate

LC50 4 h (aerosol) = 1.06 mg/l Rat

**Product Animal Toxicity** 

Oral LD50 value: LD50 Believed to be approximately 1,700 mg/kg Rat

<u>Dermal LD50 value</u>: LD50 Believed to be > 2,000 mg/kg Rabbit

Inhalation LC50 LC50 1 h (aerosol) Believed to be approximately 2.95 mg/l Rat

value:

Skin Irritation: Corrosive to skin Eye Irritation: Corrosive to eyes

Skin Sensitization: This material is not known or reported to be a skin or respiratory sensitizer.

Tallow alkyl amines, ethoxylated

Secondary alcohol ethoxylate This material tested negative for skin sensitization in

humans.

Acute Toxicity: This product is corrosive to all tissues contacted and upon inhalation, may cause

irritation to mucous membranes and respiratory tract.

Subchronic / Chronic

Toxicity:

Not known or reported to cause subchronic or chronic toxicity.

Reproductive and Not known or reported to cause reproductive or developmental toxicity.

**Developmental Toxicity:** 

SULFURIC ACID This product did not cause reproductive or

developmental effects in a study with laboratory

animals.

PHOSPHORIC ACID This material has been tested and was found not to

cause reproductive toxicity in laboratory animals.

Mutagenicity: Not known or reported to be mutagenic.

SULFURIC ACID This product has been tested for mutagenicity. Tests

revealed both positive and negative results. Based on the weight of evidence, we judge this product NOT to be

a mutagenic hazard.

HYDROCHLORIC ACID This chemical has been shown to be non-mutagenic

APPLIED BIOCHEMISTS TILE MAX PLUS

REVISION DATE: 05/26/2015 Page 7 of 13

based on a battery of assays.

PHOSPHORIC ACID This product was determined to be non-mutagenic in

the Ames assay.

Carcinogenicity: This product is not known or reported to be carcinogenic by any reference

source including IARC, OSHA, NTP or EPA. The International Agency for Research on Cancer (IARC) has determined that there is sufficient evidence that occupational exposure to strong inorganic acid mists containing sulfuric acid is carcinogenic (Group I carcinogen). The following data is available for

sulfuric acid:

SULFURIC ACID This chemical is not known or reported to be

carcinogenic by any reference source including IARC,

OSHA, NTP, or EPA. IARC evaluated several epidemiology studies where workers from a variety of

industries had been exposed to a mixture of strong inorganic acid mists. IARC has concluded that there is sufficient evidence that occupational exposure to a mixture of strong inorganic-acid mists containing sulfuric acid is carcinogenic to humans (Group I carcinogen). Because cancer has not been observed in animals when they are exposed only to sulfuric acid mists, exposure to sulfuric acid by itself was not determined to

be carcinogenic to humans.

HYDROCHLORIC ACID The International Agency for Research on Cancer

(IARC) has classified this product or a component of this product as a Group 3 substance, Unclassifiable as

to Its Carcinogenicity to Humans.

PHOSPHORIC ACID This chemical is not known or reported to be

carcinogenic by any reference source including IARC,

OSHA, NTP, or EPA.

### **SECTION 12. ECOLOGICAL INFORMATION**

Overview: Because of the low pH of this product, it would be expected to produce

significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.

Ecological Toxicity Values - Product:

LC50 Believed to be approximately 2.58 mg/l (calculated)

Ecological Toxicity Values for: Tallow alkyl amines, ethoxylated

Channel Catfish (Ictalurus - static test 96 h LC50 = 16.9 mg/l

punctatus rafinesque),

Coho salmon - static test 96 h LC50 = 1.8 mg/l Lepomis macrochirus (Bluegill - static test 96 h LC50 = 1.4 mg/l

sunfish)

Pimephales promelas (fathead - static test 96 h LC50 = 1.0 mg/l

minnow)

Oncorhynchus mykiss (rainbow - static test 96 h LC50 = 1.6 mg/l

trout)

APPLIED BIOCHEMISTS TILE MAX PLUS

REVISION DATE: 05/26/2015 Page 8 of 13

Daphnia magna (Water flea) - static test 48 h EC50= 7.2 mg/l
Daphnia pulex (Water flea) - static test 48 h LC50= 2.35 mg/l

Ecological Toxicity Values for: SULFURIC ACID

Mosquito fish - (nominal, static). 96 h LC50 42 mg/l

Bluegill sunfish - 96 h LC50 10.5 mg/l

Common shrimp (Crangon - (nominal, renewal). 48 h LC50 70-80 mg/l

crangon)

Daphnia magna, - 24 h EC50 29 mg/l

Ecological Toxicity Values for: HYDROCHLORIC ACID

Mosquito fish - 96 h LC50 = 282 mg/l

Bluegill - 48 h LC50 = 3.6 mg/l Pimephales promelas (fathead - 96 h LC50 = 21.9 mg/l

minnow)

Common shrimp (Crangon - (nominal, renewal). 48 h LC50= 260 mg/l

crangon)

Daphnia magna, - 48 h EC50= 0.492 mg/l

Ecological Toxicity Values for: PHOSPHORIC ACID

Mosquito fish - 96 h LC50 138 mg/l

Ecological Toxicity Values for: Secondary alcohol ethoxylate

Pimephales promelas (fathead - (static, renewal) 96 h LC50 = 1.7 mg/l

minnow)

Oncorhynchus mykiss (rainbow - (static, renewal) 96 h LC50 = 1.8 mg/l

trout)

Daphnia magna (Water flea) - (static, renewal) 48 h LC50 0.9 mg/l

### SECTION 13. DISPOSAL CONSIDERATIONS

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary: If this product becomes a waste, it meets the criteria of a hazardous

waste as defined under 40 CFR 261 and would have the following EPA hazardous waste number: D002.As a hazardous liquid waste it must be disposed of in accordance with local, state and federal

APPLIED BIOCHEMISTS TILE MAX PLUS

REVISION DATE: 05/26/2015 Page 9 of 13

regulations.

# **SECTION 14. TRANSPORT INFORMATION**

DOT

UN number : 1760

Description of the goods : Corrosive liquids, n.o.s.

: (hydrochloric acid, Sulphuric acid)

Class : 8
Packing group : II
Labels : 8
Emergency Response : 154

Guidebook Number

TDG

UN number : 1760

Description of the goods : CORROSIVE LIQUID, N.O.S.

(hydrochloric acid, Sulphuric acid)

Class : 8 Packing group : II Labels : 8

**IATA** 

UN number : 1760

Description of the goods : Corrosive liquid, n.o.s.

(hydrochloric acid, Sulphuric acid)

Class : 8
Packing group : II
Labels : 8
Packing instruction (cargo : 855

aircraft)

Packing instruction : 851

(passenger aircraft)

Packing instruction : Y840

(passenger aircraft)

**IMDG-CODE** 

UN number : 1760

Description of the goods : CORROSIVE LIQUID, N.O.S.

(hydrochloric acid, Sulphuric acid)

Class : 8
Packing group : II
Labels : 8
EmS Number 1 : F-A
EmS Number 2 : S-B

# **SECTION 15. REGULATORY INFORMATION**

APPLIED BIOCHEMISTS TILE MAX PLUS

REVISION DATE: 05/26/2015 Page 10 of 13

# **EPCRA - Emergency Planning and Community Right-to-Know Act**

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sulphuric acid	7664-93-9	1000	

#### **SARA 302**

The following components are subject to reporting levels established by SARA Title III, Section 302:

Sulphuric acid	7664-93-9	13.95 %
hydrochloric acid	7647-01-0	9.0465 %

#### **SARA 313**

The following components are subject to reporting levels established by SARA Title III, Section 313:

Sulphuric acid	7664-93-9	13.95 %
hydrochloric acid	7647-01-0	9.0465 %

#### Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

hydrochloric acid 7647-01-0 9.0465 %

The following chemical(s) are listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F):

Sulphuric acid	7664-93-9	13.95 %
hydrochloric acid	7647-01-0	9.0465~%

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Sulphuric acid	7664-93-9	13.95 %
hydrochloric acid	7647-01-0	9.0465 %
phosphoric acid	7664-38-2	8.33 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Sulphuric acid	7664-93-9	13.95 %
hydrochloric acid	7647-01-0	9.0465 %

APPLIED BIOCHEMISTS TILE MAX PLUS

REVISION DATE: 05/26/2015 Page 11 of 13

phosphoric acid 7664-38-2 8.33 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

#### **US State Regulations**

Massachusetts Right To Know

Sulphuric acid	7664-93-9
hydrochloric acid	7647-01-0
phosphoric acid	7664-38-2

Pennsylvania Right To Know

Tallow alkyl amines, ethoxylated	61791-26-2
Sulphuric acid hydrochloric acid	7664-93-9 7647-01-0
phosphoric acid	7664-38-2

**New Jersey Right To Know** 

Tallow alkyl amines,	61791-26-2
ethoxylated	
Sulphuric acid	7664-93-9
hydrochloric acid	7647-01-0
phosphoric acid	7664-38-2

#### California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### The components of this product are reported in the following inventories:

TSCA : The components of this product are listed on the TSCA

Inventory of Existing Chemical Substances.

#### **Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

### **SECTION 16. OTHER INFORMATION**

SECTIONS REVISED: First formulated version in SAP.

Major References : Available upon request.

APPLIED BIOCHEMISTS TILE MAX PLUS

REVISION DATE: 05/26/2015 Page 12 of 13

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT.

APPLIED BIOCHEMISTS TILE MAX PLUS REVISION DATE: 05/26/2015