

Safety Data Sheet

## **SECTION 1: IDENTIFICATION**

<u>Product Identifier</u> <u>Product Form: Mixture</u>

Product Name: Azure 90 Day Algaecide Intended Use of the Product
Swimming pool algaecide

Supplier: Company

NAVA Water Products 95 MacCorkle Avenue SW South Charleston, WV 25303 Tel: 1-800-811-2327

**Emergency Telephone Number** 

Emergency number : CHEMTREC: (800) 424-9300; MEDICAL: (800) 720-9236

## **SECTION 2: HAZARDS IDENTIFICATION**

## Classification of the Substance or Mixture

## Classification (GHS-US)

Eye Irrit. 2A H319 Aquatic Acute 1 H400 Aquatic Chronic 1 H410

Label Elements
GHS-US Labeling

Hazard Pictograms (GHS-US)





Signal Word (GHS-US) : Warning

Hazard Statements (GHS-US) : H319 - Causes serious eye irritation

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements (GHS-US) : P264 - Wash hands, forearms and exposed areas thoroughly after handling

P273 - Avoid release to the environment

P280 - Wear eye protection, protective clothing, protective gloves

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P337+P313 - If eye irritation persists: Get medical advice/attention

P391 - Collect spillage

P501 - Dispose of contents / container according to local, regional, national, territorial,

provincial, and international regulations

## **Other Hazards**

**Other Hazards Not Contributing to the Classification**: Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

Unknown Acute Toxicity (GHS-US) Not available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

## **Substances**



## Safety Data Sheet

Name	Product identifier	% (w/w)	Classification (GHS-US)
Copper Triethanolamine	(CAS No) 31089-39-1	10	Eye Irrit. 2A, H319
			Aquatic Acute 1, H400
			Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

## **SECTION 4: FIRST AID MEASURES**

## **Description of First Aid Measures**

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible).

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing

difficulty persists.

Skin Contact: Rinse immediately with plenty of water. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Obtain medical attention.

Ingestion: Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

### Most Important Symptoms and Effects Both Acute and Delayed

General: Causes serious eye irritation.
Inhalation: May cause respiratory irritation.
Skin Contact: May cause skin irritation.
Eve Contact: Causes serious eye irritation.

**Ingestion:** Ingestion is likely to be harmful or have adverse effects. **Chronic Symptoms:** None expected under normal conditions of use.

## Indication of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical advice (show the label where possible).

## **SECTION 5: FIRE-FIGHTING MEASURES**

#### **Extinguishing Media**

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire. Application of water stream to hot product may cause frothing and increase fire intensity.

## Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

## **Advice for Firefighters**

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire. **Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products**: None **Reference to Other Sections** 

Refer to Section 9 for flammability properties.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid all contact with skin, eyes, or clothing. Avoid breathing (vapor, mist, spray).

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection. **Emergency Procedures:** Stop leak if safe to do so. Ventilate area.

#### **Environmental Precautions**

Prevent entry to sewers and public wastes. Notify authorities if liquid enters sewers or public waters.



Safety Data Sheet

## Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clear up spills immediately and dispose of waste safely. Spills should be contained with mechanical ba rriers. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

### Reference to Other Sections

See Heading 8. Exposure controls and personal protection.

### **SECTION 7: HANDLING AND STORAGE**

### **Precautions for Safe Handling**

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### **Conditions for Safe Storage, Including Any Incompatibilities**

**Technical Measures:** Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from

direct sunlight, extremely high or low temperatures and incompatible materials. Protect product from freezing.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers.

Swimming pool algaecide.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control Parameters**

No Occupational Exposure Limits (OELs) have been established for this product or its chemical components.

### **Exposure Controls**

**Appropriate Engineering Controls:** Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and s afety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

Personal Protective Equipment: Protective goggles. Gloves. Protective clothing.







Materials for Protective Clothing: Chemically resistant materials and fabrics.

**Hand Protection:** Wear chemically resistant protective gloves.

Eye Protection: Chemical goggles or safety glasses.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed

established Occupational Exposure Limits.

Environmental Exposure Controls: Do not allow the product to be released into the environment.

Consumer Exposure Controls: Do not eat, drink or smoke during use

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## <u>Information on Basic Physical and Chemical Properties</u>

Physical State: LiquidAppearance: BlueOdor: Slight

**Odor Threshold** Not available 7.85 - 8.05 рΗ Relative Evaporation Rate (butylacetate=1) : Not available **Melting Point** Not available **Freezing Point** : -5.6 °C (22 °F) **Boiling Point** 100 °C (212 °F) Flash Point Not available : Not available **Auto-ignition Temperature** 



### Safety Data Sheet

Not available **Decomposition Temperature** Flammability (solid, gas) Not available Lower Flammable Limit Not available **Upper Flammable Limit** Not available Vapor Pressure Not available Relative Vapor Density at 20 °C Not available Relative Density Not available Specific Gravity : 1.08-1.11 Miscible Solubility Partition coefficient: n-octanol/water Not available Not available Viscosity

Explosion Data – Sensitivity to Mechanical Impact : Not expected to present an explosion hazard due to mechanical impact.

Explosion Data – Sensitivity to Static Discharge : Not expected to present an explosion hazard due to static discharge.

## **SECTION 10: STABILITY AND REACTIVITY**

**Reactivity:** Hazardous reactions will not occur under normal conditions.

Chemical Stability: Stable under recommended handling and storage conditions (see Section 7).

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Direct sunlight. Extremely high or low temperatures. Incompatible materials.

**Incompatible Materials:** Strong acids. Strong bases. Strong oxidizers. **Hazardous Decomposition Products:** Carbon oxides (CO, CO<sub>2</sub>).

### **SECTION 11: TOXICOLOGICAL INFORMATION**

## **Information on Toxicological Effects - Product**

Acute Toxicity: Not classified

LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Not classified

**pH:** 7.85 - 8.05

**Serious Eye Damage/Irritation:** Causes serious eye irritation.

pH: 7.85 - 8.05

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

**Teratogenicity:** Not available **Carcinogenicity:** Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: May cause respiratory irritation.

Symptoms/Injuries After Skin Contact: May cause skin irritation.

Symptoms/Injuries After Eye Contact: Causes serious eye irritation.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

<u>Information on Toxicological Effects - Ingredient(s)</u>

LD50 and LC50 Data: Not available

## **SECTION 12: ECOLOGICAL INFORMATION**

#### Toxicity

**Ecology - General:** Very toxic to aquatic life with long lasting effects.

Persistence and Degradability Not available

**Bioaccumulative Potential** Not available

Mobility in Soil Not available



Safety Data Sheet

## **Other Adverse Effects**

Other Information: Avoid release to the environment.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

 $\textbf{Waste Disposal Recommendations:} \ \ \textbf{Dispose of waste material in accordance with all local, regional, national, and international all local all local and international all local and international all local and international all local all local and international all local and$ 

regulations.

**Ecology – Waste Materials:** Avoid release to the environment.

## **SECTION 14: TRANSPORT INFORMATION**

## 14.1 In Accordance with DOT

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (Copper Triethanolamine)

Hazard Class : 9

Identification Number : UN3082

Label Codes : 9

Packing Group : III

Marine Pollutant : Marine pollutant Reportable Quantity : 10 lbs (4.54 kg)

ERG Number : 171

14.2 In Accordance with IMDG

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Copper Triethanolamine)

Hazard Class : 9
Identification Number : UN3082
Packing Group : III
Label Codes : 9

EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F

Reportable Quantity : 10 lbs (4.54 kg)

14.3 In Accordance with IATA

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Copper Triethanolamine)

Packing Group : III
Identification Number : UN3082

Hazard Class : 9
Label Codes : 9

ERG Code (IATA) : 9L

**Reportable Quantity** : 10 lbs (4.54 kg)

14.4 In Accordance with TDG

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Copper Triethanolamine)

Packing Group : III
Hazard Class : 9
Identification Number : UN3082
Label Codes : 9

Marine Pollutant (TDG) : Marine pollutant Reportable Quantity : 10 lbs (4.54 kg)



### **SECTION 15: REGULATORY INFORMATION**

## **US Federal Regulations**

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use. (EPA Reg. No. 58412-1-75217)

CAUTION

KEEP OUT OF REACH OF CHILDREN

5/7



## **Safety Data Sheet**

### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed.

Causes moderate eye irritation.

Avoid contact with eyes or clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gun, or using tobacco.

Remove contaminated clothing and wash clothing before reuse.

#### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates and may contaminate water through runoff. Do not contaminate water when disposing of equipment wash waters or rinsate.

#### STORAGE AND DISPOSAL

Store in original container, tightly closed in a cool, dry place out of the reach of children and persons unfamiliar with its use. Do not store in direct sunlight.

## **US State Regulations**

Neither this product nor its chemical components appear on any US state lists.

## **Canadian Regulations**

- Carradian Regulations		
Product		
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects: Skin/Eye Irritation-	
	Reversible Damage	

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

### SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

### **GHS Full Text Phrases:**

Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H410	Very toxicto aquatic life with long lasting effects


NFPA Health Hazard : 1 - Exposure could cause irritation but only minor residual

injury even if no treatment is given.

NFPA Fire Hazard : 1 - Must be preheated before ignition can occur.

NFPA Reactivity : 0 - Normally stable, even under fire exposure conditions, and

are not reactive with water.



## **HMIS III Rating**

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 1 Slight Hazard
Physical : 0 Minimal Hazard



Safety Data Sheet

## All sections reformatted in accordance with OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, NAVA Water Products makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its safety and suitability for their purposes prior to use. In no event will NAVA Water Products be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANT ABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE, ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

## Prepared by

North America Regulatory Affairs ICL-IP America Inc. 95 MacCorkle Ave.,S.W. South Charleston, WV 25303, USA Phone number: (304)746-3000

#### Prepared for

NAVA Water Products 95 MacCorkle Ave. SW, South Charleston, WV 25303, USA Tel: (304) 746-3000