

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Revision: 7

Product name Azure Skimmer Sticks

 Product id
 AS_9716C_AZ

 Revision date
 05/08/2014

 Supersedes
 19/12/2013

1. Identification of the substance & the company

Chemical name Trichloro-s-triazinetrione

Synonym(s) Trichloroisocyanuric Acid; TCCA; Trichlor; Trichloro-s-triazinetrione; Symclosene

Chemical formula C 3 Cl 3 N 3 O 3

Chemical family Chloroisocyanurate

Molecular weight 232.41

Type of product and use For disinfectant, sanitizers, fungicides, bactericides and algaecides for pools, spas

and hot tubs

Supplier NAVA Water Products

95 MacCorkle Ave. SW, South Charleston, WV 25303,

USA

Toll Free Number: 1-800-811-2327

Emergency Telephone Chemtrec (800)424-9300

Medical (800)420-9236

2. Hazards identification

GHS classification Ox. Sol. 2 H272, May intensify fire; oxidiser.

Acute Tox. 4, H302 Harmful if swallowed Eye Irrit. 2, H319 Causes serious eye irritation USA: Eye Irrit. 2A, Causes serious eye irritation STOT SE 3, H335 May cause respiratory irritation Aquatic Acute 1, H400 - Very toxic to aquatic life

Aquatic Chronic 1, H410 - Very toxic to aquatic life with long lasting effects



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Azure Skimmer Sticks

 Product id
 AS_9716C_AZ

 Revision date
 05/08/2014

 Supersedes
 19/12/2013

10/1=/2010



Signal Word DANGER

Hazard statements H272 - May intensify fire; oxidizer

H302 - Harmful if swallowed

H319 - Causes serious eye irritation H335 - May cause respiratory irritation

H410 - Very toxic to aquatic life with long lasting effects

EUH031 - Contact with acids liberates toxic gas

Precautionary statements P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P221 - Take any precaution to avoid mixing with combustibles/other chemicals

Revision: 7

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P273 - Avoid release to the environment

P391 - Collect spillage

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if

you feel unwell

P330 - Rinse mouth

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for

breathing

P312 - Call a POISON CENTER or doctor/physician if you feel unwell



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Azure Skimmer Sticks

 Product id
 AS_9716C_AZ

 Revision date
 05/08/2014

 Supersedes
 19/12/2013

P220 - Keep/Store away from clothing/ combustible materials

P264 - Wash hands thoroughly after handling

P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P370 + P378 - In case of fire: Use water for extinction

P405 - Store locked up

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed P501 - Dispose of contents/container in accordance with national and international

Revision: 7

regulations

NFPA Ratings (Scale 0-4) HMIS Ratings (Scale 0-4) Health = 3, Fire = 0, Reactivity = 2. Special Hazard Warning: OXIDIZER.

Health = 3, Fire = 0, Reactivity = 2

3. Composition / information on ingredients

Components	CAS No.	Weight %
Trichloroisocyanuric Acid	87-90-1	99

4. First-aid measures

Eye contact Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing

eye.

Call a poison control center or doctor for treatment advice.

Skin contact Take off contaminated clothing.

Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison

control center or doctor for treatment advice.

Inhalation Move person to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for further treatment advice.



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Azure Skimmer Sticks

 Product id
 AS_9716C_AZ

 Revision date
 05/08/2014

 Supersedes
 19/12/2013

Ingestion Call poison control center, or doctor immediately for treatment advice.

Have person sip a glass of water if able to swallow.

Do not induce vomiting unless told to do so by the poison control center or doctor.

Revision: 7

Do not give anything by mouth to an unconscious person.

Most important symptoms and effects, acute or delayed

- Eye Contact Severe irritation and/or burns can occur following eye exposure. Contact may

cause impairment of vision and corneal damage.

- Skin contact Dermal exposure can cause severe irritation and/or burns characterized by

redness, swelling and scab formation.

Repeated skin exposure may cause tissue destruction due to the corrosive nature

of the product.

- Inhalation Irritating to the nose, mouth, throat and lungs.

It may also cause burns to the respiratory tract with the production of lung edema

that can result in shortness of breath, wheezing, choking, chest pain, and

impairment of lung function.

Inhalation of high concentrations can result in permanent lung damage from the

corrosive action of the lung.

- Ingestion Irritation and/or burns can occur to the entire gastrointestinal tract, including the

stomach and intestines, characterized by nausea, vomiting, diarrhea, abdominal

pain, bleeding and/or tissue ulceration.

Ingestion causes severe damage to the gastrointestinal tract with the potential to

cause perforation.

Note to physician Probable mucosal damage may contraindicate the use of gastric lavage.

Corrosive. No specific antidote.

In case of ingestion DO NOT induce vomiting. Treat symptomatically and supportively.

Medical conditions

aggravated by exposure Asthma, respiratory and cardiovascular diseases.

5. Fire - fighting measures



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Azure Skimmer Sticks

 Product id
 AS_9716C_AZ

 Revision date
 05/08/2014

 Supersedes
 19/12/2013

·

Suitable extinguishing media Water. Large amounts of water may be needed and the flow of water should not be stopped until the fire/reaction has stopped.

Extinguishing media not to be Do not use dry chemical extinguisher conf

used

Do not use dry chemical extinguisher containing ammonia compounds.

Unusual fire and explosion

hazards

When heated to decomposition, may release poisonous and corrosive fumes of nitrogen trichloride, chlorine, nitrous oxides, cyanates, carbon monoxide and

Revision: 7

carbon dioxide.

Fire fighting procedure Cool containers with water spray. Fire fighters should wear full protective clothing

and self-contained breathing apparatus (SCBA) in positive pressure mode. On small fires, use water spray or fog. On large fires, use heavy deluge or fog streams. Flooding amounts of water may be required before extinguishment can

be accomplished.

6. Accidental release measures

Personal precautions

For small spills in a well-ventilated areas, wear a NIOSH approved half-face or full face tight fitting respirator or a loose fitting powered air purifying respirator equipped with chlorine cartridges. Chemical goggles should be worn when using a half-face respirator. In addition to respiratory protection, wear coveralls, chemical resistant gloves, chemical resistant footwear; and chemical resistant headgear for overhead exposure. For clean-up of large spills, or small dry spills in confined areas, wear full-face respirator with chlorine cartridges or a positive pressure supplied air respirator. Additionally, body protection should be impervious clothing covering entire body to prevent personal contact with material. CAUTION - Protection concerns must also address the following: If this material becomes damp/wet or contaminated in a container, the formation of nitrogen trichloride gas may occur and an explosive condition may exist.

Methods for cleaning up

Hazardous concentrations in air may be found in local spill area and immediately downwind. If spill material is still dry, do not put water directly on this product as a gas evolution may occur.

Environmental precautions

Prevent entry into sewers and watercourses



- Soil

SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Azure Skimmer Sticks

Product id AS_9716C_AZ Revision date AS_9716C_AZ

Supersedes 19/12/2013

Do not contaminate spill material with any organic materials, ammonia, ammonium salts or urea. Clean up all spill material with clean, dry dedicated equipment and

Revision: 7

place in a clean dry container.

Water This material is heavier than and soluble in water. Stop flow of material into water

as soon as possible. Begin monitoring for available chlorine and pH immediately.

- Air Vapors may be suppressed by the use of water fog.

7. Handling and storage

Handling Avoid bodily contact. Do not take internally Upon contact with skin or eyes, wash

off with water.

Storage Store in a dry, cool, well-ventilated area away from incompatible materials (see

"materials to avoid"). Product has an indefinite shelf-life limitation. Do not store at temperatures above 60°C/140°F. Available chlorine loss can be as little as 0.1%

per year at ambient temperatures.

8. Exposure controls / personal protection

Exposure Limits:

Components	ACGIH-TLV Data	OSHA (PEL) Data
Trichloroisocyanuric Acid 87-90-1	Not determined	Not determined

Ventilation requirementsUse local exhaust ventilation to minimize dust and chlorine levels where industrial

use occurs. Otherwise, ensure good general ventilation.

Personal protective equipment:

- Respiratory protection When dusty conditions are encountered, wear a NIOSH/OSHA full-face respirator

with chlorine cartridges for protection againts chlorine gas and dust/mist pre-filter.

- Hand protection Neoprene gloves

chemical goggles may be required.

- Skin and body protection Body covering clothes and boots



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Azure Skimmer Sticks

 Product id
 AS_9716C_AZ

 Revision date
 05/08/2014

 Supersedes
 19/12/2013

Hygiene measuresDo not eat, smoke or drink where material is handled, processed or stored. Wash hands thoroughly after handling and before eating or smoking. Safety shower and

Revision: 7

eye bath should be provided.

9. Physical and chemical properties

Appearance White granules or tablet-form product

Odor Sharp, chlorine-like bleach odor

Odor threshold
pH
2.7-2.9 (1% solution)
Melting point/range
Boiling point/range
Not applicable (decomposes)

Flash point Not applicable

Evaporation rate (ether=1)
Vapor pressure
Vapor density

Not applicable under standard conditions
Not applicable under standard conditions
Not applicable under standard conditions

Solubility:

- Solubility in water 1.2 g/100ml at 25°C

- Solubility in other solvents
Auto-ignition temperature
Decomposition temperature
Viscosity

Not available
Not applicable
225 °C (437°F)
No data available
Bulk density

Granular - 0.89-1.1

nsity Granular - 0.89-1.1 g/cc Tablet - 1.16-1.9 g/cc

Specific gravity >1

Explosive properties
Oxidising properties
Oxidiser
Particle size
Not available

10. Stability and reactivity

ReactivityContact with small amounts of water may result in an exothermic reaction with the

liberation of toxic fumes.

Stability Stable under normal conditions

Possibility of hazardous

reactions

Decomposes when heated, releasing poisonous and corrosive fumes.

{ Page 7 of 13 }



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Azure Skimmer Sticks

Product id AS_9716C_AZ Revision date 05/08/2014

Supersedes 19/12/2013

Conditions to avoid Heating above 225°C (437°F).

Materials to avoid Do not package in paper or cardboard.

Organic materials, reducing agents, nitrogen containing materials, other oxidizers,

Revision: 7

acids, bases, oils, grease, sawdust, dry fire extinguishers containing

monoammonium compounds.

Hazardous decomposition

products

Nitrogen trichloride, chlorine, nitrous oxides, cyanates, carbon monoxide, carbon

dioxide.

11. Toxicological information

Likely Routes of Exposure Skin

Inhalation Eye contact Ingestion

Acute toxicity:

Rat oral LD50
 Rabbit dermal LD50
 Eye irritation (rabbit)
 B09 mg/kg
 2000 mg/kg
 Corrosive
 Corrosive

Dermal sensitization Not a sensitizer

Chronic toxicity Prolonged exposure may cause damage to the respiratory system.

Chronic inhalation exposure may cause impairment of lung function and

permanent lung damage.

Mutagenicity Not mutagenic in five Salmonella strains and one E.coli strain with or without

mammalian microsomal activation.

Carcinogenicity Not classified by IARC, OSHA, EPA.

Not included in NTP 12th Report on Carcinogens



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Azure Skimmer Sticks Product id AS 9716C AZ

Revision date 05/08/2014 Revision: 7

Supersedes 19/12/2013

There are no known or reported effects on reproductive function or fetal Reproductive toxicity

development. Toxicological investigation indicates it does not affect reproductive

function or fetal development.

2. Ecological information

Aquatic toxicity:

Product name

- 96 Hour-LC50, Fish 0.32 mg/l (Rainbow trout)

0.30 mg/l (bluegill sunfish)

- 48 hour-LC50, Daphnia magna 0.21 mg/l

Avian toxicity:

- Oral LD50, Mallard duck 1600 mg/kg - Dietary LC50, Mallard duck >10,000 ppm - Dietary LC50, Bobwhite quail 7422 ppm

Persistence and degradability Expected to biodegrade (Lit.)

Not expected to bioaccumulate Bioaccumulative potential

(Lit.)

Mobility in soil Expected to be highly mobile in soil (Lit.)

13. Disposal considerations

Observe all federal, state and local environmental regulations when disposing of Waste disposal

this material.

If this product becomes waste, it will be a hazardous waste that is subject to the Land Disposal Restrictions under 40 CFR 268 and must be managed accordingly. Care must be taken to prevent environmental contamination from the use of this

material.

Disposal of Packaging Empty containers should be disposed of in accordance with all applicable laws

and regulations



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Azure Skimmer Sticks

 Product id
 AS_9716C_AZ

 Revision date
 05/08/2014

 Supersedes
 19/12/2013

14. Transportation information

UN No. 2468

DOT Proper shipping name: Trichloroisocyanuric Acid Dry

Class: 5.1 - Oxidizing substances Label: Oxidizing substances (5.1)

Packing Group: II

Emergency Guide No.140

Note: Certain shipping modes or package sizes may have exceptions from the transport regulations and may be classified as Consumer Commodity and Limited Quantity. The classification provided may not reflect those exceptions and may not

Revision: 7

apply to all shipping modes or package sizes.

IMDG Proper shipping name: Trichloroisocyanuric Acid Dry

Class: 5.1 - Oxidizing substances Label: Oxidizing substances (5.1)

Packing Group: II

Mark: MARINE POLLUTANT

ICAO/IATA Proper shipping name: Trichloroisocyanuric Acid Dry

Label: Oxidizing substances (5.1)

Class: 5.1 Packing group: II

Marking: Environmentally hazardous substance

15. Regulatory information

USA Reported in the EPA TSCA Inventory.

This product is registered under FIFRA

- EPA Registration no. 69470-27-75217



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Azure Skimmer Sticks

AS 9716C AZ Product id **Revision date** 05/08/2014

Supersedes 19/12/2013

- Emergency overview in DANGER

accordance to EPA Master Label Hazards to humans and domestic animals

Listed

Listed

Corrosive

Causes irreversible eye damage and skin burns May be fatal if inhaled or absorbed through skin

Strong oxidizing agent

This pesticide is toxic to fish and aquatic organisms.

This product is categorized as an immediate health hazard, and fire and reactivity - SARA (311, 312)

physical hazard This product does not contain a chemical listed at or above de

Revision: 7

minimis concentrations

- Massachusetts Right-to-Know

Hazardous Substances list - New Jersey Right-to-Know

Hazardous Substances list

- Pennsylvania Right-to-Know

Hazardous Substances list

Listed

- Waste Classifications If this product becomes a waste, it meets the criteria of a hazardous waste as

defined under 40 CFR 261 and would have the following EPA hazardous waste

number:D001.

This product is considered hazardous under the OSHA Hazard Communication - Workplace Classification

Standard (29CFR 1910.1200)

Canada Listed in DSL

-WHMIS hazard class C oxidizing materials

D1B Toxic material causing immediate and serious toxic effects

D2B Toxic materials causing other toxic effects

EU Reported in EINECS

EC No. 201-782-8

ENCS no. 5-1044 Japan

ISHL no. 5-1044



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Azure Skimmer Sticks

Product id AS_9716C_AZ

Revision date 05/08/2014 Revision: 7

Supersedes 19/12/2013

1:4-1: 100

Australia Listed in AICS

New Zealand Inventory Listed in NZIoC

China

- China inventory Listed in IECSC

Mexico Listed in the National Inventory of Chemical Substances (INSQ).

Korea Listed in the Korea Existing Chemicals Inventory (KECI), number KE-34101

Philippines Listed in PICCS

16. Other information

This data sheet contains changes from the previous version in section(s) 1, 2, 12, 16

All sections reformatted in accordance with OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, NAVA Water Products makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its safety and suitability for their purposes prior to use. In no event will NAVA Water Products be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANT ABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE, ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

Prepared by North America Regulatory Affairs

ICL-IP America Inc. 95 MacCorkle Ave.,S.W. South Charleston,WV 25303

USA

Phone number:(304)746-3000



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Revision: 7

Product name Azure Skimmer Sticks

 Product id
 AS_9716C_AZ

 Revision date
 05/08/2014

 Supersedes
 19/12/2013

Prepared for NAVA Water Products

95 MacCorkle Ave. SW,

South Charleston, WV 25303, USA

Tel: (304) 746-3000

End of safety data sheet