

ProTech Non-Chlorine Shock

Version 0.0

Revision Date 11/11/2014 Ref. 130000026038

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name ProTech Non-Chlorine Shock

Product Use Cleaning agent

Manufacturer/Supplier : NAVA Water Products

> 95 MacCorkle Avenue SW South Charleston, WV 25303

Tel: 1-800-811-2327

Medical Emergency (800) 720-9236

Medical Emergency : Transport Emergency : CHEMTREC: (800) 424-9300

Other information See Section 15: Regulatory Information for active substance guidance.

professional use

SECTION 2. HAZARDS IDENTIFICATION

Product hazard category

Acute toxicity (Oral) Category 4 Skin corrosion Category 1B Serious eye damage/eye irritation Category 1



Version 0.0

Revision Date 11/11/2014 Ref. 130000026038

Label content



Pictogram :

Signal word : Danger

Hazardous warnings : Harmful if swallowed.

Causes severe skin burns and eye damage.

Hazardous prevention

measures

: Do not breathe dust or mist.

Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/ protective clothing/ eye protection/ face protection. IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel

unwell.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing.

Rinse skin with water/ shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/ physician.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/ container to an approved waste disposal plant.

Other hazards

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 11.92 %



ProTech Non-Chlorine Shock

Version 0.0

Revision Date 11/11/2014 Ref. 130000026038

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Pentapotassium bis(peroxymonosulphate) bis(sulphate)	70693-62-8	86 - 96 %
Dipotassium peroxodisulphate	7727-21-1	0 - 5 %
Tetra[carbonato(2-)]dihydroxypentamagnesium	7760-50-1	1 - 2 %

SECTION 4. FIRST AID MEASURES

General advice : When symptoms persist or in all cases of doubt seek medical advice.

Inhalation : Move to fresh air. Oxygen or artificial respiration if needed. Call a physician

immediately.

Skin contact : If on skin, rinse well with water. Take off contaminated clothing and shoes

immediately. If skin irritation persists, call a physician. Wash contaminated

clothing before re-use.

Eye contact : Rinse immediately with plenty of water and seek medical advice.

Ingestion : Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by

mouth to an unconscious person. Call a physician immediately.

Most important

symptoms/effects, acute

and delayed

Protection of first-aiders : No applicable data available. Notes to physician : No applicable data available.

.

: No applicable data available.



ProTech Non-Chlorine Shock

Version 0.0

Revision Date 11/11/2014 Ref. 130000026038

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and

the surrounding environment.

Unsuitable extinguishing

media

: Carbon dioxide (CO2)

Specific hazards : The product itself does not burn.

Hazardous decomposition products Oxygen, Sulphur dioxide, Sulfur trioxide

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus and protective suit.

Further information : No applicable data available.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Safeguards (Personnel) : Evacuate personnel to safe areas. Use personal protective equipment.

Environmental precautions : Try to prevent the material from entering drains or water courses.

Spill Cleanup : Sweep up and shovel into suitable containers for disposal. Avoid dust

formation. After cleaning, flush away traces with water.

Accidental Release Measures : Dispose of in accordance with local regulations.

SECTION 7. HANDLING AND STORAGE

Handling (Personnel) : Use only in well-ventilated areas. Do not breathe dust. Avoid dust formation in

confined areas. Avoid contact with skin and eyes. Keep away from heat and

flame.



Version 0.0

Revision Date 11/11/2014 Ref. 130000026038

Wash hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice.

Handling (Physical Aspects)

Dust explosion class

Storage

No applicable data available.No applicable data available.

: Keep in a dry, cool and well-ventilated place. Protect from contamination.

Store in original container.

Keep away from: Combustible material Never allow product to get in contact

with water during storage.

Stable under recommended storage conditions.

Storage period : No applicable data available.

Storage temperature : No applicable data available.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls : Ensure adequate ventilation.

Personal protective equipment

Respiratory protection

: When workers are facing concentrations above the exposure limit they must

use appropriate certified respirators.

Hand protection : Material: Impervious gloves

Eye protection : Wear safety glasses or coverall chemical splash goggles.

Skin and body protection : Where there is potential for skin contact, have available and wear as

appropriate, impervious gloves, apron, pants, jacket, hood and boots.

Remove and wash contaminated clothing before re-use.

Protective measures : When using do not eat or drink. Do not breathe dust.

Exposure Guidelines
Exposure Limit Values

Pentapotassium bis(peroxymonosulphate) bis(sulphate)

AEL * (DUPONT) 1 mg/m3 15 minute TWA



Version 0.0

Revision Date 11/11/2014 Ref. 130000026038

Dipotassium peroxodisulphate

TLV (ACGIH) 0.1 mg/m3 TWA as persulfate

Potassium sulfate

AEL * (DUPONT) 10 mg/m3 8 hr. TWA

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (Physical state, form, colour, etc.)

Form : Solid form, granular

Color : white Odor : none

Odor threshold : No applicable data available. pH : 2.1 at 30 g/l 20 °C (68 °F)

Melting point/freezing point : Melting point

Decomposes before melting.

Boiling point/boiling range : Boiling point

Not applicable

Flash point : does not flash

Evaporation rate : No applicable data available.

Flammability (solid, gas) : The product itself does not burn, but it is slightly oxidising (active oxygen

content ca. 2%).

The product is not flammable.

Upper explosion limit : No applicable data available.

Lower explosion limit : No applicable data available.

^{*} AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.



Version 0.0

Revision Date 11/11/2014 Ref. 130000026038

Vapor pressure : < 0.0000017 hPa

Vapour density : No applicable data available.

Density : No applicable data available.

Specific gravity (Relative

density)

: 1,100 - 1,400 kg/m3

: 2.35 at 20 °C (68 °F)

Bulk density : 297 - 357 g/l at 22 °C (72 °F) Water solubility : No applicable data available. Solubility(ies)

Partition coefficient: n-

octanol/water

: No applicable data available.

Ignition temperature no data available

No applicable data available. Auto-ignition temperature

Decomposition temperature No applicable data available.

Viscosity No applicable data available.

Oxidising Substance : The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity Stable under recommended storage conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous

reactions

: No applicable data available.

Conditions to avoid Temperature > 50 °C (> 122 °F)

Avoid extreme heat.

Incompatible materials : Halogenated compounds Cyanides, Heavy metal salts



ProTech Non-Chlorine Shock

Version 0.0

Revision Date 11/11/2014 Ref. 130000026038

Hazardous decomposition

products

: Hazardous decomposition products: Oxygen , Sulphur dioxide, Sulfur trioxide

SECTION 11. TOXICOLOGICAL INFORMATION

Oxone® PS-16 Monopersulfate compound

Inhalation 4 h LC50 : > 5 mg/l, Rat

Skin irritation : Causes burns., Rabbit

Eye irritation : Severe eye irritation, Rabbit

Sensitisation : Did not cause sensitisation on laboratory animals., Guinea pig

May cause sensitisation of susceptible persons by skin contact or by

inhalation of dust.

Pentapotassium bis(peroxymonosulphate) bis(sulphate)

Dermal LD50 : > 2,000 mg/kg, Rat

Oral LD50 : 500 mg/kg , Rat

Mutagenicity : Animal testing did not show any mutagenic effects.

Did not cause genetic damage in cultured bacterial cells. Tests on mammalian cell cultures showed mutagenic effects. Evidence suggests this substance does not cause genetic damage in animals.

Teratogenicity : Animal testing showed no developmental toxicity.

Dipotassium peroxodisulphate

Dermal LD50 : > 10,000 mg/kg , Rabbit

Oral LD50 : 1,130 mg/kg , Rat

Repeated dose toxicity : Oral

Rat

-

NOAEL: 131.5 mg/kgMethod: OECD Test Guideline 407

No toxicologically significant effects were found.

Carcinogenicity : Not classifiable as a human carcinogen.



Version 0.0

Revision Date 11/11/2014 Ref. 130000026038

Animal testing did not show any carcinogenic effects.

Information given is based on data obtained from similar substances.

Mutagenicity : Animal testing did not show any mutagenic effects.

Tests on bacterial or mammalian cell cultures did not show mutagenic

effects.

Information given is based on data obtained from similar substances.

Reproductive toxicity : No toxicity to reproduction

Animal testing showed no reproductive toxicity.

Information given is based on data obtained from similar substances.

Teratogenicity : Animal testing showed no developmental toxicity.

Information given is based on data obtained from similar substances.

Tetra[carbonato(2-)]dihydroxypentamagnesium

Oral LD50 : > 2,000 mg/kg, Rat

Information given is based on data obtained from similar substances.

Repeated dose toxicity : Oral

Rat - 90 d

NOAEL: 1,531 mg/kgMethod: OECD Test Guideline 408

No toxicologically significant effects were found., Information given is

based on data obtained from similar substances.

Carcinogenicity : Not classifiable as a human carcinogen.

Information given is based on data obtained from similar substances.

Animal testing did not show any carcinogenic effects.

Mutagenicity : Tests on bacterial or mammalian cell cultures did not show mutagenic

effects.

Evidence suggests this substance does not cause genetic damage in

animals.

Information given is based on data obtained from similar substances.

Reproductive toxicity : No toxicity to reproduction

Information given is based on data obtained from similar substances.

Animal testing showed no reproductive toxicity.

Teratogenicity : Information given is based on data obtained from similar substances.

Animal testing showed no developmental toxicity.



Version 0.0

Revision Date 11/11/2014 Ref. 130000026038

Carcinogenicity

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

SECTION 12. ECOLOGICAL INFORMATION

Aquatic Toxicity

Pentapotassium bis(peroxymonosulphate) bis(sulphate)

96 h LC50 : Cyprinodon variegatus (sheepshead minnow) 1.09 mg/l Directive

67/548/EEC, Annex V, C.1.

96 h ErC50 : Selenastrum capricornutum (green algae) > 1 mg/l OECD Test

Guideline 201

72 h NOEC : Selenastrum capricornutum (green algae) 0.5 mg/l

48 h EC50 : Daphnia magna (Water flea) 3.5 mg/l OECD Test Guideline 202

37 d : NOEC Cyprinodon variegatus (sheepshead minnow) 0.222 mg/l

28 d : NOEC Americamysis bahia (mysid shrimp) 0.267 mg/l

Dipotassium peroxodisulphate

96 h LC50 : Oncorhynchus mykiss (rainbow trout) 76.3 mg/l US EPA Test

Guideline OPP 72-1

Information given is based on data obtained from similar substances.

72 h EbC50 : Pseudokirchneriella subcapitata (green algae) 83.7 mg/l OECD Test

Guideline 201

Information given is based on data obtained from similar substances.

72 h NOEC : Pseudokirchneriella subcapitata (green algae) 39.2 mg/l OECD Test

Guideline 201

Information given is based on data obtained from similar substances.

48 h EC50 : Daphnia magna (Water flea) 120 mg/l US EPA Test Guideline OPP

72-2

Information given is based on data obtained from similar substances.



Version 0.0

Revision Date 11/11/2014 Ref. 130000026038

Tetra[carbonato(2-)]dihydroxypentamagnesium

96 h LC50 : Pimephales promelas (fathead minnow) 2,120 mg/l

Information given is based on data obtained from similar substances.

72 h EC50 : Desmodesmus subspicatus (green algae) > 100 mg/l OECD Test

Guideline 201

Information given is based on data obtained from similar substances.

72 h NOEC : Desmodesmus subspicatus (green algae) 100 mg/l OECD Test

Guideline 201

Information given is based on data obtained from similar substances.

48 h EC50 : Daphnia magna (Water flea) 140 mg/l

Information given is based on data obtained from similar substances.

Physico-chemical

removability

hydrolyses

Environmental Fate

Dipotassium peroxodisulphate

Biodegradability : Readily biodegradable.

Tetra[carbonato(2-)]dihydroxypentamagnesium

Biodegradability : The methods for determining biodegradability are not applicable to

inorganic substances.

SECTION 13. DISPOSAL CONSIDER ATIONS

Waste disposal methods -

: Dispose of in accordance with local regulations.

Product

Contaminated packaging : If recycling is not practicable, dispose of in compliance with local regulations.

SECTION 14. TRANSPORT INFORMATION

DOT UN number : 3260



Version 0.0

IMDG

Revision Date 11/11/2014 Ref. 130000026038

Proper shipping name : Corrosive solid, acidic, inorganic, n.o.s. (Monopersulfate

Compound)

Class : 8
Packing group : II
Labelling No. : 8

IATA C UN number : 3260

Proper shipping name : Corrosive solid, acidic, inorganic, n.o.s. (Monopersulfate

Compound,)

Class : 8
Packing group : II
Labelling No. : 8
UN number : 3260

Proper shipping name : CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

(Monopersulfate Compound,)

Class : 8
Packing group : II
Labelling No. : 8

SECTION 15. REGULATORY INFORMATION

TSCA : On the inventory, or in compliance with the inventory

Other regulations : Active Ingredient in this composition is POTASSIUM

PEROXYMONOSULFATE, CAS. No. 10058-23-8, Concentration: 43-47% (Typical 45%) Active ingredient may also be described by the synonym

POTASSIUM MONOPERSULFATE.

SARA 313 Regulated

Chemical(s)

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established

by SARA Title III, Section 313.

PA Right to Know

Regulated Chemical(s)

: Substances on the Pennsylvania Hazardous Substances List present at a

concentration of 1% or more (0.01% for Special Hazardous Substances):

Dipotassium peroxodisulphate

NJ Right to Know Regulated Chemical(s) : Substances on the New Jersey Workplace Hazardous Substance List present

at a concentration of 1% or more (0.1% for substances identified as carcinogens, mutagens or teratogens): Dipotassium peroxodisulphate,



Version 0.0

Revision Date 11/11/2014 Ref. 130000026038

Potassium hydrogensulphate

Title III hazard : Acute Health Hazard: Yes classification : Chronic Health Hazard: No.

Fire: No

Reactivity/Physical hazard: No

Pressure: No

California Prop. 65 : Chemicals known to the State of California to cause cancer, birth defects or

any other harm: none known

SECTION 16. OTHER INFORMATION

All sections reformatted in accordance with OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS).

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, NAVA Water Products makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its safety and suitability for their purposes prior to use. In no event will NAVA Water Products be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANT ABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE, ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

Prepared by

North America Regulatory Affairs ICL-IP America Inc. 95 MacCorkle Ave.,S.W. South Charleston,WV 25303, USA Phone number:(304)746-3000

Prepared for

Windo 6934 East 1st Avenue #101 Scottsdale, AZ 85251 Tel: (480) 945-4154