

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Product id Revision date Supersedes

ProTech pH Minus

AS_9081_PT 28/10/2014 14/07/2011

Revision: 4

1. Identification of the substance & the company

Chemical name	Sodium bisulfate, anhydrous globular, technical	
Synonym(s)	Sodium acid sulfate	
Chemical formula	NaHSO ₄	
Type of product and use	pH adjustment for pools, spas and hot tubs	
Supplier	NAVA Water Products 95 MacCorkle Ave. SW, South Charleston, WV 25303, USA Toll Free Number: 1-800-811-2327	
Emergency Telephone	Chemtrec: (800) 424-9300 Medical: (800) 420-9236	

2. Hazards identification

Eye Damage 1, H318 Causes serious eye damage

Labels and other form of warning

GHS classification

Symbol(s)	
Signal Word	DANGER
Hazard statements	H318 - Causes serious eye damage
Precautionary statements	P280 - Wear protective gloves/protective clothing/eye protection/face protection P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician
NFPA Ratings (Scale 0-4)	Health = 3 , Fire = 0 , Reactivity = 0 .
HMIS Ratings (Scale 0-4)	Health = 3 , Fire = 0, Reactivity = 0
	{ Page 1 of 7 }



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name	ProTech pH Minus
Product id	AS_9081_PT
Revision date	28/10/2014
Supersedes	14/07/2011

Revision: 4

3. Composition / information on ingredients

1	Components	CAS No.	Weight %
	SODIUM BISULPHATE	7681-38-1	>90

4. First-aid measures			
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.		
Skin contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.		
Inhalation	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.		
Ingestion	Call poison control center, or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.		
Most important symptoms and effects, acute or delayed			
- Eye Contact	Causes severe eye damage.		
- Skin contact	Prolonged exposure may cause skin irritation		
- Inhalation	Inhalation of dust may irritate or burn nose, throat and lungs.		
- Ingestion	Small amounts (tablespoonful) swallowed are not likely to cause injury; however swallowing large amounts may irritate or burn digestive tract.		
Note to physician	Corrosive No specific antidote. Treat symptomatically and supportively.		



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Product id Revision date Supersedes	ProTech pH Minus AS_9081_PT 28/10/2014 14/07/2011	Revision: 4		
5. Fire - fighting measures				
Suitable extinguishing media Material is not combustible. Use extinguishing media appropriate to surrounding fire conditions. Because material will readily dissolve in water to form a weak ac solution, avoid water contact with material if possible.				

Unusual fire and explosion	Will decompose above 806°F (430°C) releasing poisonous and corrosive fumes of
hazards	sulfur oxides.

Fire fighting procedure	Product readily dissolves in water to form a weak acid solution. If using water,
	wear acid protective equipment. No gases or toxic fumes are emmitted from this
	reaction. However, if elevated temperatures (> 806°F) are reached, self-contained
	breathing apparatus should be worn.

6. Accidental release measures

Personal precautions	Do not breathe dust See section "Exposure controls/personal protection".
Methods for cleaning up	Vacuum or shovel material and place in disposal container. Avoid excessive dust generation. Dilute residual material with ample supply of water and direct to sanitary sewer if Federal, State or Local regulations permit.
Environmental precautions	Prevent entry into sewers and watercourses
- Water	Readily dissolves in water to form a weak acid solution. If water is isolated or can be contained, neutralize with weak alkaline solution.

7. Handling and storage

Handling	Wear all recommended personal protective clothing when handling. Avoid contact with eyes. Wash thorougly after handling. Minimize dust generation. Avoid breathing dust.
Storage	Material is hygroscopic and will readilly absorb moisture. Keep containers tightly closed. DO NOT store where exposed to moist conditions. DO NOT store near strong alkalies.



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name	ProTech pH Minus
Product id	AS_9081_PT
Revision date	28/10/2014
Supersedes	14/07/2011

Revision: 4

8. Exposure controls / personal protection

Exposure Limits :

Components		ACGIH-TLV Data	OSHA (PEL) Data	
SODIUM BISULPHATE 7681-38-1		Not determined	Not determined	
Ventilation requirements	Ventilation must be sufficient to maintain airborne of total dust below 15 mg/m ³ , respirable fraction 5 mg/m ³ , OSHA recommendation for Particulates Not Otherwise Regulated (PNOR).			
 Personal protective equipment: Respiratory protection Hand protection Eye protection Skin and body protection 	In dusty atmospheres use a NIOSH-approved dust respirator. Rubber gloves Safety glasses with side-shields Cotton-blend coveralls			
Hygiene measures			handled, processed or stored. Wash ating or smoking. Safety shower and	

shape beads

9. Physical and chemical properties

Appearance	Off white granules
Physical state	Dry (Anhydrous) crystalline solid, spherical
Odor	Fresh to pungent
рН	<1 @ 5% aqueos solution
Melting point/range	350°F (177°C)
Flash point	Not applicable
Flammable/Explosion limits	Not flammable/Not explosive
- Solubility in water	Partly soluble
Specific gravity	1.28

10. Stability and reactivity

Reactivity Stability Possibility of hazardous reactions Conditions to avoid Hygroscopic Stable at normal conditions Not expected to occur

Exposure to moisture.



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Product id Revision date Supersedes	ProTech pH Minus AS_9081_PT 28/10/2014 Revision: 4 14/07/2011	
Materials to avoid	Reactive or incompatible with the following materials: oxidizing materials, acids and alkalis. DO NOT MIX dry or concentrated solutions of this product with concentrated solutions of chlorine bleach, ammonia cleansers or similar products.	
Hazardous decomposition products	Sulfur oxides (>430°C)	

11. Toxicological information

Acute toxicity:

- Rat oral LD50	2800 mg/kg
Carcinogenicity	Not classified by IARC, OSHA, EPA. Not included in NTP 13th Report on Carcinogens

12. Ecological information

Information on ecological effects	This product readily dissolves in water to form a weak acid solution. A 0.05 percent or greater (by weight) solution of this product is likely to be acutely harmful to fish and other aquatic organisms.	
Aquatic toxicity :	No information available	
13. Disposal conside	erations	
Waste disposal	Dispose in a safe manner in accordance with local/national regulations.	
Disposal of Packaging	Empty packaging may contain product residues and due consideration should be given prior to disposal	
14. Transportation in	nformation	
DOT	Not regulated	
INDO	Not regulated	

IMDG Not regulated



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name	ProTech pH Minus		
Product id Revision date	AS_9081_PT 28/10/2014	Revision: 4	
Supersedes	14/07/2011		
15. Regulatory information			

USA	Reported in the EPA TSCA Inventory.	
CERCLA/SARA - 302 ext. haz. substances	This product contains no Hazardous Substances listed in 40 CFR Part 302.	
- SARA 313	Not listed	
- SARA (311, 312)	Sodium bisulfate: Immediate (acute) health hazard, Delayed (chronic) health hazard	
- New Jersey Right-to-Know Hazardous Substances list	Listed	
- California-Prop 65	This product does not contain any ingredient known to the State of California to cause cancer or reproductive toxicity as listed under the State drinking Water and Toxic Enforcement Act of 1986.	
Canada	Listed in DSL	
-WHMIS hazard class	E corrosive material	
16. Other information		

This data sheet contains changes from the previous version in section(s)

2, 4, 6, 10, 15

All sections reformatted in accordance with OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, NAVA Water Products makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its safety and suitability for their purposes prior to use. In no event will NAVA Water Products be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANT ABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE, ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

In an event of discrepancy between the contents of this SDS and the English version of it, the English version shall prevail.



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Product id Revision date Supersedes	ProTech pH Minus AS_9081_PT 28/10/2014 14/07/2011	Revision: 4
Prepared by	North America Regulatory Affairs ICL-IP America Inc. 95 MacCorkle Ave.,S.W. South Charleston,WV 25303, USA Phone number:(304)746-3000	
Prepared for	Windo 6934 East 1st Avenue #101 Scottsdale, AZ 85251 Tel: (480) 945-4154	
	End of safety data sheet	