

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name ProTech pH Plus

Product id AS_9020_PT

Revision date 02/11/2014 Revision: 4

1. Identification of the substance & the company

22/08/2011

Chemical name Sodium carbonate, anhydrous

Synonym(s) Soda salt, soda crystal, disodium carbonate, soda ash

Chemical formula Na 2 CO 3

Type of product and use pH adjustment for pools, spas and hot tubs

Supplier NAVA Water Products

95 MacCorkle Ave. SW, South Charleston, WV 25303,

USA

Toll Free Number: 1-800-811-2327

Emergency Telephone Chemtrec: (800) 424-9300

Medical: (800) 420-9236

2. Hazards identification

GHS classification Eye Irrit. 2, H319 Causes serious eye irritation

Labels and other form of warning

Symbol(s)

Supersedes



Signal Word WARNING

Hazard statements H319 - Causes serious eye irritation

Precautionary statements P264 - Wash hands thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

NFPA Ratings (Scale 0-4) Health = 2, Fire = 0, Reactivity = 0.



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name ProTech pH Plus

Product id AS_9020_PT Revision date 02/11/2014

Supersedes 02/11/2014 22/08/2011

HMIS Ratings (Scale 0-4) Health = 2, Fire = 0, Reactivity = 0.

3. Composition / information on ingredients

Components	CAS No.	Weight %
SODIUM CARBONATE	497-19-8	100

4. First-aid measures

Eye contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call

Revision: 4

a poison control center or doctor for treatment advice.

Skin contactTake off contaminated clothing. Rinse skin immediately with plenty of water for

15-20 minutes. Call a poison control center or doctor for treatment advice.

Inhalation In case of dust inhalation or breathing fumes released from heated material,

remove person to fresh air. Keep him quiet and warm. Apply artificial respiration if

necessary and get medical attention immediately.

Ingestion Call poison control center, or doctor immediately for treatment advice. Have

person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to

an unconscious person.

Most important symptoms and effects, acute or delayed

- Eye Contact Causes serious eye irritation

Skin contact
 May cause skin irritation, seen as redness and swelling. In the presence of

moisture or sweat, irritation may become more severe leading to rash.

May cause dry and chapped skin.

Inhalation
 May be irritating to mucous membranes and eyes.

- Ingestion May cause severe irritation and risk of burns to the mouth, throat, esophagus and

stomach. Ingestion of large quantities can cause nausea and vomiting (bloody)

Note to physician No specific antidote.

Treat symptomatically and supportively.



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name ProTech pH Plus

Product id AS_9020_PT Revision date 02/11/2014

Supersedes 22/08/2011

Fire - fighting measures

Suitable extinguishing media Material is not combustible. Use extinguishing media appropriate to surrounding

fire conditions.

Unusual fire and explosion

hazards None known

Fire fighting procedure In closed stores, provide fire-fighters with self-contained breathing apparatus in

positive pressure mode

6. Accidental release measures

Personal precautionsSee section "Exposure controls/personal protection".

Methods for cleaning up Shovel into suitable container for disposal. Ventilate area and wash spill site after

material pickup is complete. Observe all federal, state and local environmental

Revision: 4

regulations.

Environmental precautions Prevent from entering into soil, ditches, sewers waterways and/or groundwater.

7. Handling and storage

Handling Avoid prolonged or repeated contact with skin or eyes. Do not wear contact lenses

without proper eye protection when using this product. Avoid prolonged or repeated breathing of dusts. Use vacuum or wet mop to clean up dust.

Storage Keep in a closed, properly labeled container in a dry area away from acids. Protect

from physical damage.

8. Exposure controls / personal protection

Exposure Limits:

Components	ACGIH-TLV Data	OSHA (PEL) Data
SODIUM CARBONATE	Not determined	Not determined
497-19-8		



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name ProTech pH Plus

Product id AS_9020_PT Revision date 02/11/2014

Supersedes 22/08/2011

Ventilation requirementsVentilation must be sufficient to maintain airborne of total dust below 15 mg/m³,

respirable fraction 5 mg/m³, OSHA recommendation for Particulates Not

Revision: 4

Otherwise Regulated (PNOR).

Personal protective equipment:

- Respiratory protection In case of significant or accidental dust emmisions, NIOSH approved dust mask

should be worn

- Hand protection Cotton gloves are adequate for routine handling of dry product

Eye protection
 Skin and body protection
 In cases of significant dust, goggles are recommended
 Body covering clothes and boots

Hygiene measures Do not eat, smoke or drink where material is handled, processed or stored. Wash

hands thoroughly after handling and before eating or smoking. Safety shower and

eye bath should be provided.

9. Physical and chemical properties

Appearance White granules Odor Slightly pungent 11.6 (1% solution) Hq Melting point/range 851°C (1564°F) Boiling point/range Not applicable Flash point Non-combustible Flammable/Explosion limits Not flammable Vapor pressure Not applicable Vapor density Not applicable

- Solubility in water 33% maximum by weight in water

Auto-ignition temperature Decomposition temperatureNot applicable >400°C

Viscosity No data available Specific gravity 2.533(20°C)

10. Stability and reactivity

Reactivity Hygroscopic

Stability Stable under normal conditions

Possibility of hazardous None known

reactions

Conditions to avoid Extreme heat. Exposure to moisture.



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name ProTech pH Plus

Product id AS_9020_PT Revision date 02/11/2014

Supersedes 22/08/2011

Materials to avoid Under certain conditions, may react with Al, P₂, O₅, F₂, Li and 2,4,6-trinitrotoluene.

Reacts with acids and releases large volumes of CO₂ gas and heat. Soda ash and lime dust in the presence of moisture may form caustic soda, which may cause

Revision: 4

burns.

Hazardous decomposition

products None known

11. Toxicological information

Acute toxicity:

- Rat oral LD50 >2000 mg/kg

- Rat inhalation LC50 2.3 mg/L (2h)

- Eye irritation (rabbit) Severe irritant

- Dermal irritation (rabbit) Mild irritant.

Chronic toxicity No data available

Carcinogenicity Not classified by IARC, OSHA, EPA.

Not included in NTP 13th Report on Carcinogens

12. Ecological information

Aquatic toxicity:

- 96 Hour-LC50, Fish 300 mg/l (Lepomis macrochirus)

- 48 Hour-EC50, Daphnia magna 265 mg/l

- EC50, Freshwater algae 242 mg/l (5 days, Nitzschia linearis)

13. Disposal considerations

Waste disposal Observe all federal, state and local environmental regulations when disposing of

this material

Disposal of Packaging Empty packaging may contain product residues and due consideration should be

given prior to disposal



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name ProTech pH Plus

Product id AS_9020_PT

Revision date 02/11/2014 Revision: 4

Supersedes 22/08/2011

14. Transportation information

DOT Not regulated

15. Regulatory information

USA Reported in the EPA TSCA Inventory.

CERCLA/SARA - 302 ext. haz.

substances

This product contains no Hazardous Substances listed in 40 CFR Part 302.

- SARA (311, 312) Hazard Class - Acute

Planning threshold: 10,000 lbs Hazard Class - Chronic Planning threshold: 10,000 lbs

- California-Prop 65 This product does not contain any ingredient known to the State of California to

cause cancer or reproductive toxicity as listed under the State drinking Water and

Toxic Enforcement Act of 1986.

- Waste Classifications This material does not meet RCRA's characteristic definition of ignitability,

corrosivity, or reactivity, and is not listed in 40CFR 261.33. Not listed under

CERCLA.

Canada Listed in DSL

-WHMIS hazard class D2B Toxic materials causing other toxic effects

E corrosive material

16. Other information

This data sheet contains changes from the previous version in section(s) 2, 4, 10, 16

All sections reformatted in accordance with OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Revision: 4

Product name ProTech pH Plus

 Product id
 AS_9020_PT

 Revision date
 02/11/2014

 Supersedes
 22/08/2011

·

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, NAVA Water Products makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its safety and suitability for their purposes prior to use. In no event will NAVA Water Products be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANT ABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE, ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

In an event of discrepancy between the contents of this SDS and the English version of it, the English version shall prevail.

Prepared by North America Regulatory Affairs

ICL-IP America Inc. 95 MacCorkle Ave.,S.W.

South Charleston, WV 25303, USA Phone number: (304)746-3000

Prepared for Windo

6934 East 1st Avenue #101 Scottsdale, AZ 85251 Tel: (480) 945-4154

End of safety data sheet