FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL: 1-800-654-6911 (OUTSIDE

USA: 1-423-780-2970) FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®: 1-800-424-9300 (OUTSIDE

USA: 1-703-527-3887)

FOR ALL SDS QUESTIONS & REQUESTS, CALL: 1-800-511-MSDS (OUTSIDE

USA: 1-423-780-2347)

PRODUCT NAME: GLB SUPER CHARGE II

EPA Registration Number: 1258-1237

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Supplier REVISION DATE: 06/02/2015 **GLB**

1400 Bluegrass Lakes Parkway,

Alpharetta, GA, 30004

USA

Telephone: +17705215999 Telefax: +17705215959 Web: www.poolspacare.com

Manufacturer

Advantis Technologies 1200 Bluegrass Lakes Parkway Alpharetta, GA 30004 **United States of America**

SUPERCEDES: 05/26/2015

MSDS Number: 000000024527

SYNONYMS: None CHEMICAL FAMILY: None

DESCRIPTION / USE None established FORMULA: None established

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Oxidizing solids Category 2

Acute toxicity (Oral) Category 4

Skin irritation Category 2

Serious eye damage Category 1

Acute toxicity (Inhalation) Category 3

Specific target organ toxicity -Category 3 (Respiratory system)

GLB SUPER CHARGE II

REVISION DATE: 06/02/2015 Page 1 of 14 single exposure

GHS Label element

Hazard pictograms







Signal word Danger

Hazard statements H272 May intensify fire; oxidiser.

> H302 Harmful if swallowed. H315 Causes skin irritation.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

Precautionary statements **Prevention:**

P210 Keep away from heat.

P220 Keep/Store away from clothing/ combustible materials. P221 Take any precaution to avoid mixing with combustibles. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER

or doctor/ physician if you feel unwell. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

P332 + P313 If skin irritation occurs: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container

tiahtly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

GLB SUPER CHARGE II

REVISION DATE: 06/02/2015

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS OR CHEMICAL NAME CALCIUM HYPOCHLORITE	<u>CAS #</u> 7778-54-3	<u>% RANGE</u> 40 - 55
SODIUM CHLORIDE	7647-14-5	5 - 15
CALCIUM CHLORATE	10137-74-3	0 - 4
CALCIUM CHLORIDE	10043-52-4	0 - 4
CALCIUM HYDROXIDE	1305-62-0	0 - 5
CALCIUM CARBONATE	471-34-1	0 - 4
MAGNESIUM SULFATE HEPTAHYDRATE	10034-99-8	25 - 35
Water	7732-18-5	17 - 22

SECTION 4. FIRST AID MEASURES

General Advice: Call a poison control center or doctor for treatment advice. For 24-hour

emergency medical assistance, call Arch Chemical Emergency Action Network at 1-800-654-6911. Have the product container or label with you when calling a

poison control center or doctor, or going for treatment.

Inhalation: IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an

ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

Call a poison control center or doctor for further treatment advice.

Skin Contact: IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin

immediately with plenty of water for 15-20 minutes. Call a poison control center or

doctor for treatment advice.

Eye Contact: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then

continue rinsing eye. Call a poison control center or doctor for treatment advice.

Ingestion: IF SWALLOWED: Call a poison control center or doctor immediately for treatment

in SWALLOWED. Can a posson control center of doctor infinediately for treating

advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give

anything by mouth to an unconscious person.

Notes to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

GLB SUPER CHARGE II

REVISION DATE: 06/02/2015 Page 3 of 14

SECTION 5. FIREFIGHTING MEASURES

Flammability Summary (OSHA): This product contains an ingredient (calcium hypochlorite) which is

both a strong oxidizer and is chemically reactive with many

substances. Strong oxidizers are capable of intensifying a fire once started. Because of this, any contamination of the product with other substances by spill or otherwise should be avoided. Also see section 7., Product is not known to be flammable, combustible or pyrophoric., NFPA Oxidizer Class: Meets the criteria of an NFPA

Class 1 Oxidizer

Flammable Properties

Flash Point: Not applicable Autoignition Temperature: Not applicable

Extinguishing Media: Water only. Do not use dry extinguishers containing ammonium

compounds.

Fire Fighting Instructions: Use water to cool containers exposed to fire. See Section 6 for

protective equipment for fire fighting. Not applicable

Upper Flammable / Explosive Limit,

% in air:

Lower Flammable / Explosive Limit,

% in air:

Not applicable

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency Situations:

Response to a large quantity spill (100 pounds or greater) or when dusting or decomposition gas exposure could occur requires the use of a positive pressure full face supplied air repirator or self contained breathing apparatus (SCBA), chemical resistant gloves, coveralls and boots. In case of fire, this personal protective equipment should be used in addition to normal fire fighter equipment.

Spill Mitigation Procedures

Air Release: Vapors may be suppressed by the use of water fog.All water utilized

to assist in fume suppression, decontamination or fire suppression may be contaminated and must be contained before disposal and/or

treatment.

Water Release: This material is heavier than water. This material is soluble in

water. Monitor all exit water for available chlorine and pH. Advise

local authorities of any contaminated water release.

GLB SUPER CHARGE II

REVISION DATE: 06/02/2015 Page 4 of 14

Land Release:

Contact 1-800-654-6911 immediately. DANGER: All spills of this product should be treated as contaminated. Contaminated product may initiate a chemical reaction that may spontaneously ignite any combustible material present, resulting in a fire of great intensity. In case of a spill, separate all spilled product from packaging, debris and other material. Using a clean broom or shovel, place all spilled product into plastic bags, and place those bags into a clean, dry disposal container, properly marked and labeled. Disposal containers made of plastic or metal are recommended. Do not seal disposal containers tightly. Immediately remove all product in disposal containers to an isolated area outdoors. Place all damaged packaging material in a disposal container of water to assure decontamination (i.e. removal of all product) before disposal. Place all undamaged packaging in a clean, dry container properly marked and labeled. Call for disposal procedures.

Additional Spill Information:

Hazardous concentrations in air may be found in local spill area and immediately downwind. Remove all sources of ignition. Stop source of spill as soon as possible and notify appropriate personnel. Dispose of spill residues per guidelines under Section 13, Disposal Consideration. This material may be neutralized for disposal; you are requested to contact Arch Chemicals at 1-800-654-6911 before beginning any such procedure. FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC: 1-800-424-9300 REPORTABLE QUANTITY: 10 lbs. (as calcium hypochlorite) per 40 CFR 302.4.

SECTION 7. HANDLING AND STORAGE

Handling: Avoid inhalation of dust and fumes. Do not take internally. Avoid

contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water. Remove contaminated clothing and wash

before reuse.

Storage: Keep product tightly sealed in original containers. Store product in a

cool, dry, well-ventilated area. Store away from combustible or flammable products. Keep product packaging clean and free of all contamination, including, e.g. other pool treatment products, acids, organic materials, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, all corrosive liquids, flammable or combustible materials, etc.

Do not store product where the average daily temperature exceeds

95° F. Storage above this temperature may result in rapid

decomposition, evolution of chlorine gas and heat sufficient to ignite combustible products. Shelf life (that is, the period of time before the product goes below stated label strength) is determined by storage time and temperatures. Store in a cool, dry and well ventilated area. Prolonged storage at elevated temperatures will significantly shorten the shelf life. Storage in a climate controlled storage area or building is recommended in those areas where extremes of high temperature occur., Average daily temperature of 35° C / 95° F. Storage above this temperature may result in rapid decomposition, evolution of chlorine gas and heat sufficient to ignite combustible products.

GLB SUPER CHARGE II

Shelf Life Limitations:

REVISION DATE: 06/02/2015 Page 5 of 14

Incompatible Materials for Storage: Do not allow product to come in contact with other materials,

including e.g. other pool treatment products, acids, organic materials, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, all corrosive liquids, flammable or combustible materials, etc. A chemical reaction with such substances can cause a fire.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: Local exhaust ventilation or other engineering controls are normally required

when handling or using this product to keep airborne exposures below the

TLV, PEL or other recommended exposure limit.

Protective Equipment for Routine Use of Product

Respiratory Protection: Wear a NIOSH approved respirator if levels above the exposure limits are

possible., A NIOSH approved full-face air purifying respirator equipped with combination chlorine/P100 cartridges. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations

exceed ten (10) times the published limit.

Skin Protection: Wear impervious gloves to avoid skin contact. A full impervious suit is

recommended if exposure is possible to a large portion of the body.

Eye Protection: Use chemical goggles.

Protective Clothing Type: Nitrile, Natural rubber, Neoprene (This includes: gloves, boots, apron,

protective suit)

General Protective An eye wash and safety shower should be provided in the immediate work

Measures: area

Components with workplace control parameters

Components (CAS-No.)	Value	Control parameters	Basis (Update)
CALCIUM HYPOCHLORITE (7778-54-3)	TWA	1 mg/m3	ARCH OEL*
CALCIUM HYPOCHLORITE (7778-54-3)	Conc	37 - 48 mg/m3	NIOSH/GUIDE IDLH
CALCIUM HYDROXIDE (1305-62-0)	TWA	5 mg/m3	ACGIH (02 2014)

ARCH OEL: Arch Recommended Occupational Exposure Guideline.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: solid
Form granules
Color: white
Odor: Chlorine-like
Molecular Weight: 143.00 g/mol

GLB SUPER CHARGE II

REVISION DATE: 06/02/2015 Page 6 of 14

pH: 10.0 - 10.8

() 10 g/l (as aqueous solution)

Boiling Point: Not applicable Melting point/freezing Not applicable

point

Density 0.8 g/cm3

Bulk Density: ()

no data available

Vapor Pressure: Not applicable
Vapor Density: Not applicable
Viscosity: no data available

Solubility in Water: 180 g/l

77 °F (25 °C)

Partition coefficient n-

octanol/water:

Not applicable

Evaporation Rate: Not applicable Oxidizing: None established Volatiles, % by vol.: Not applicable

VOC Content Not applicable This product does not contain any chemicals

listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

HAP Content Not applicable

SECTION 10. STABILITY AND REACTIVITY

Stability and Reactivity Summary: Product is not sensitive to mechanical shock or impact. Product is

not sensitive to electrical static discharge. Product will not undergo hazardous polymerization. Product is an NFPA Class 1 oxidizer. Not pyrophoric. Not an organic peroxide. If subjected to excessive temperatures, the product may undergo rapid decomposition, evolution of chlorine gas, and heat sufficient to ignite combustible substances. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter.

Use copious amounts of water for fires involving this product. Do not store next to heat source, in direct sunlight, or elevated storage temperature. Do not store where the daily average

temperature exceeds 95 °F. Prevent ingress of humidity and moisture into container or package. Always close the lid. This product is chemically reactive with many substances,

including, e.g., other pool treatment products, acids, organics, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, corrosive,

flammable or combustible materials. Do not allow product to contact any foreign matter, including other water treatment products. Contamination or improper use may cause a fire, explosion or the release of toxic gases. If product is exposed to small amounts of water, it can react violently to produce heat and

toxic gases and spatter.

Hazardous Decomposition Products: Decomposition Temperature:

Chlorine 170 - 180 °C

GLB SUPER CHARGE II

Conditions to Avoid:

Chemical Incompatibility:

REVISION DATE: 06/02/2015 Page 7 of 14

SECTION 11. TOXICOLOGICAL INFORMATION

Component Animal Toxicology

Oral LD50 value:

CALCIUM LD50 (65% calcium hypochlorite) 850 mg/kg Rat

HYPOCHLORITE

SODIUM CHLORIDE LD50 = 3,000 mg/kg Rat CALCIUM CHLORIDE LD50 = 1,000 mg/kg Rat CALCIUM HYDROXIDE LD50 = 7,340 mg/kg Rat

Component Animal Toxicology

Dermal LD50 value:

CALCIUM LD50 (65% calcium hypochlorite) > 2,000 mg/kg Rabbit

HYPOCHLORITE

SODIUM CHLORIDE LD50 > 10,000 mg/kg Rabbit CALCIUM CHLORIDE LD50 = 2,630 mg/kg Rat

CALCIUM HYDROXIDE No data

Component Animal Toxicology

Inhalation LC50 value:

CALCIUM Inhalation LC50 1 h (65% calcium hypochlorite), (Nose Only) = 2.04 mg/l

HYPOCHLORITE R

Inhalation LC50 4 h (65% calcium hypochlorite), (Nose Only) = 0.51 mg/l

Rat

SODIUM CHLORIDE Inhalation LC50 1 h > 42 mg/l Rat

CALCIUM CHLORIDE No data

CALCIUM HYDROXIDE No data

Product Animal Toxicity

Oral LD50 value: LD50 Approximately 1,200 mg/kg Rat

Dermal LD50 value: LD50 > 2,000 mg/kg Rabbit

Inhalation LC50 LC50 1 h (Nose Only) > 2.04 mg/l Rat LC50 4 h (Nose Only) > 0.51 mg/l

value: R

Rat

Skin Irritation: DRY MATERIAL CAUSES MODERATE SKIN IRRITATION., WET MATERIAL

CAUSES SKIN BURNS.

Eye Irritation: Corrosive to eyes.

Skin Sensitization: This material is not known or reported to be a skin or respiratory sensitizer.

Acute Toxicity: This product is corrosive to all tissues contacted and upon inhalation, may cause

GLB SUPER CHARGE II

REVISION DATE: 06/02/2015 Page 8 of 14

irritation to mucous membranes and respiratory tract. The dry material is irritating to

the skin. However when wet, it will produce burns to the skin.

Subchronic / Chronic Toxicity:

There are no known or reported effects from repeated exposure except those

secondary to burns.

Reproductive and Developmental Toxicity: Calcium hypochlorite has been tested for teratogenicity in laboratory animals. Results of this study have shown that calcium hypochlorite is not a

teratogen.

CALCIUM CHLORIDE

Not known or reported to cause reproductive or

developmental toxicity.

Mutagenicity:

Calcium hypochlorite has been tested in the Dominant lethal assay in male mice, and it did not induce a dominant lethal response. Calcium hypochlorite has been reported to produce mutagenic activity in two in vitro assays. It has, however, been shown to lack the capability to produce mutations in animals based on results from the micronucleus assay. In vitro assays frequently are inappropriate to judge the mutagenic potential of bactericidal chemicals due to a high degree of cellular toxicity. The concentration which produces mutations in these in vitro assays is significantly greater than the concentrations used for disinfection. Based on high cellular toxicity in in vitro assays and the lack of mutagenicity in animals, the risk of genetic damage

to humans is judged not significant.

CALCIUM CHLORIDE

This product was determined to be non-mutagenic in the Ames assay. It was also shown to be nonclastogenic in the chromosomal aberration test.

Carcinogenicity:

This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA. One hundred mice were exposed dermally 3 times a week for 18 months to a solution of calcium hypochlorite. Histopathological examination failed to show an increased incidence of tumors. IARC (International Agency for Research on Cancer) reviewed studies conducted with several hypochlorite salts. IARC has classified hypochlorite salts as having inadequate evidence for carcinogenicity to humans and animals. IARC therefore considers hypochlorite salts to be not classifiable as to their carcinogenicity to humans

(Group 3 Substance).

CALCIUM CHLORIDE

This chemical is not known or reported to be carcinogenic by any reference source including IARC,

OSHA, NTP, or EPA.

SECTION 12. ECOLOGICAL INFORMATION

Overview: Highly toxic to fish and other aquatic organisms.

Ecological Toxicity Values - Product:

Bluegill (nominal, static). 96 h LC50 Approximately 0.12 mg/l Based on

extrapolation from studies using calcium hypochlorite.

(nominal, static). 96 h LC50 Approximately 0.22 mg/l Based on Rainbow trout (Salmo gairdneri),

extrapolation from studies using calcium hypochlorite.

GLB SUPER CHARGE II

REVISION DATE: 06/02/2015 Page 9 of 14

Daphnia magna, - (nominal, static). 48 h LC50Approximately 0.15 mg/l Based on

extrapolation from studies using calcium hypochlorite.

Bobwhite quail - LC50 > 7,000 ppm Based on extrapolation from studies

using calcium hypochlorite.

Mallard ducklings - LC50 > 7,000 ppm Based on extrapolation from studies

using calcium hypochlorite.

Bobwhite quail - LD50 Approximately 4,800 mg/kg Based on extrapolation

from studies using calcium hypochlorite.

Ecological Toxicity Values for: CALCIUM HYPOCHLORITE

Bluegill - (nominal, static). 96 h LC50 0.088 mg/l

Rainbow trout (Salmo gairdneri), - (nominal, static). 96 h LC50 0.16 mg/l

Daphnia magna, - (nominal, static). 48 h LC50 0.11 mg/l

Bobwhite quail - Dietary LC50 > 5,000 ppm

Mallard ducklings - Dietary LC50 > 5,000 ppm Bobwhite quail - Oral LD50 3,474 mg/kg

Ecological Toxicity Values for: CALCIUM CHLORIDE

Bluegill - (nominal, static). 96 h LC50 = 10,650 mg/l

Mosquito fish - (nominal, static). 96 h LC50 = 13,400 mg/l - (nominal, static). 96 h LC50 = 4,630 mg/l

minnow)

Daphnia magna, - (nominal, static). 48 h LC50= 2,770 mg/l

Ceriodaphnia dubia - (nominal, static). 48 h LC50= 1,830 mg/l

Nitzschia linearis (diatom) - (nominal, static). 5 day LC50 = 3,130 mg/l

SECTION 13. DISPOSAL CONSIDERATIONS

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary: If this product becomes a waste, it DOES NOT meet the criteria of a

hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it

listed as a hazardous waste under Subpart D.

Disposal Methods: As a nonhazardous waste, it should be disposed of in accordance

with local, state and federal regulations.

GLB SUPER CHARGE II

REVISION DATE: 06/02/2015 Page 10 of 14

SECTION 14. TRANSPORT INFORMATION

DOT

UN number : 3077

Description of the goods : Other regulated substances, solid, n.o.s.

: (Calcium hypochlorite)

Class : 9
Packing group : III
Labels : 9
Emergency Response : 171

Guidebook Number

TDG

UN number : 3077

Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Calcium hypochlorite)

Class : 9
Packing group : III
Labels : 9

IATA

UN number : 3077

Description of the goods : Environmentally hazardous substance, solid, n.o.s.

(Calcium hypochlorite)

Class : 9
Packing group : III
Labels : 9MI
Packing instruction (cargo : 956

aircraft)

Packing instruction : 956

(passenger aircraft)

Packing instruction : Y956

(passenger aircraft)

IMDG-CODE

UN number : 3077

Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Calcium hypochlorite)

Class : 9
Packing group : III
Labels : 9
EmS Number 1 : F-A
EmS Number 2 : S-F

Marine pollutant : yes

GLB SUPER CHARGE II

REVISION DATE: 06/02/2015 Page 11 of 14

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

Signal word : DANGER!

Hazard statements : Harmful if swallowed.

Harmful if absorbed through skin. Corrosive. Causes skin burns.

Corrosive. Causes irreversible eye damage.

This pesticide is toxic to fish.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
Calcium hypochlorite	7778-54-3	10	18

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

GLB SUPER CHARGE II

REVISION DATE: 06/02/2015 Page 12 of 14

Calcium hypochlorite

7778-54-3

55 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Calcium hypochlorite

7778-54-3

55 %

1 - 5 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

Calcium hypochlorite	7778-54-3
Calcium dihydroxide	1305-62-0
Calcium carbonate	471-34-1
Calcium chlorate	10137-74-3

Pennsylvania Right To Know

Calcium hypochlorite magnesium sulphate	7778-54-3 10034-99-8
heptahydrate	
Sodium chloride	7647-14-5
Calcium dihydroxide	1305-62-0
Calcium carbonate	471-34-1
Calcium chlorate	10137-74-3
Calcium chloride	10043-52-4

New Jersey Right To Know

Calcium hypochlorite	7778-54-3
magnesium sulphate	10034-99-8
heptahydrate	
Sodium chloride	7647-14-5
Calcium dihydroxide	1305-62-0
Calcium carbonate	471-34-1
Calcium chlorate	10137-74-3

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TSCA : This is an EPA registered pesticide.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

GLB SUPER CHARGE II

REVISION DATE: 06/02/2015 Page 13 of 14



SECTION 16. OTHER INFORMATION

Major References: Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT. .

REVISION DATE: 06/02/2015 Page 14 of 14