

## SAFETY DATA SHEET

according to US Regulation 29 CFR 1910.1200 and the Canadian HPA

# LEISURE TIME INSTANT CARTRIDGE CLEAN

Version 1.1 Revision Date 2019.01.22 Print Date 2019.08.27

#### **SECTION 1. IDENTIFICATION**

Product name : LEISURE TIME INSTANT CARTRIDGE CLEAN

Manufacturer or supplier's details

Company : Arch Chemicals, Inc.

1200 Bluegrass Lakes Parkway

Alpharetta, GA

30004

United States of America (USA)

E-mail address : sds@lonza.com

Emergency telephone number : In case of emergency call CHEMTREC US: 1-800-424-9300,

CHEMTREC WORLD-WIDE: +1-703-527-3887.

Recommended use of the chemical and restrictions on use

Recommended use : Cleaning agent

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Corrosive to metals : Category 1

Skin irritation : Category 2

Serious eye damage : Category 1

Specific target organ toxicity -

single exposure

: Category 3 (Respiratory system)

**GHS** label elements

Hazard pictograms





Signal word : Danger

Hazard statements : H290 May be corrosive to metals.

H315 Causes skin irritation.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

Precautionary statements : **Prevention**:

P234 Keep only in original container.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Ref. / 000000023863 SDS\_US / EN Page 1 (11)



P271 Use only outdoors or in a well-ventilated area.

## Response:

P390 Absorb spillage to prevent material damage.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P332 + P313 If skin irritation occurs: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/doctor.

P304 + P340 + P312 IF INHALED: Remove person to fresh air

and keep comfortable for breathing. Call a POISON

CENTER/doctor if you feel unwell.

# Storage:

P406 Store in corrosive resistant container with a resistant inner liner

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

# Disposal:

Dispose of contents/container in accordance with local regulation.

#### Other hazards

None known.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical nature : Mixture

## **Hazardous components**

Chemical name / Synonyms	CAS-No.	Concentration (% w/w)
2-Butoxyethanol	111-76-2	6 - 10
Poly(oxy-1,2-ethanediyl), .alpha (nonylphenyl)omegahydroxy-	9016-45-9	4 - 6
Etidronic acid	2809-21-4	3 - 5
Citric acid	77-92-9	1 - 3

#### **SECTION 4. FIRST AID MEASURES**

If inhaled : IF INHALED: Remove individual to fresh air. Seek medical

attention if breathing becomes difficult or if respiratory irritation

develops.

In case of skin contact : IF ON SKIN: Immediately flush skin with plenty of water for 15

minutes. If clothing comes in contact with the product, the clothing should be removed immediately and laundered before

re-use. Seek medical attention if irritation develops.

In case of eye contact : IF IN EYES: Immediately flush eyes with plenty of water for at

least 15 minutes. Seek medical attention immediately.

If swallowed : IF SWALLOWED: Call a physician immediately. DO NOT

induce vomiting unless directed to do so by a physician. Never

give anything by mouth to an unconscious person.



Most important symptoms and effects, both acute and delayed

None known.

## **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use dry chemical, water fog, carbon dioxide (CO2), or foam.

Specific hazards during firefighting : Material may be ignited only if preheated to high tempera-

tures, for example in a fire.

Further information : In case of fire, use normal fire-fighting equipment and the

personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing appa-

ratus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

: Use the personal protective equipment recommended in Section 8 and a NIOSH approved self-contained breathing apparatus

Remove all sources of ignition.

Stop source of spill as soon as possible and notify appropriate

personnel.

Utilize emergency response personal protection equipment

prior to the start of any response. Evacuate all non-essential personnel.

Dispose of spill residues per guidelines under Section 13,

Disposal Consideration.

Environmental precautions : If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for contain-

ment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13).

Do not flush into surface water or sanitary sewer system.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Do not take internally. Avoid contact with skin, eyes and cloth-

ing. Upon contact with skin or eyes, wash off with water.

Avoid breathing mist or vapor.

Conditions for safe storage : Store in a cool dry ventilated location, away from sources of

ignition or other incompatible conditions and chemicals. Keep

container(s) closed.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**



# Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-Butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		REL	5 ppm 24 mg/m3	NIOSH/GUIDE
		PEL	50 ppm 240 mg/m3	OSHA_TRANS
		TWA	25 ppm 120 mg/m3	Z1A

# **Biological occupational exposure limits**

Components	CAS-No.	Control parame-ters	Biological specimen	Sampling time	Permissi- ble con- centration	Basis
2-Butoxyethanol	111-76-2	Butoxya- cetic acid (BAA), with hy- drolysis	Creatinine in urine	Sampling time: End of shift.		ACGIH BEI

**Engineering measures** : Local exhaust ventilation or other engineering controls are

normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other rec-

ommended exposure limit.

Personal protective equipment

Respiratory protection : Wear a NIOSH approved respirator if levels above the expo-

sure limits are possible.

Hand protection

Remarks : Wear impervious gloves to avoid skin contact.

Eye protection : Use chemical goggles and a faceshield.

Skin and body protection : Impervious

Protective measures : An eye wash and safety shower should be provided in the

immediate work area.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : clear

Odour : Detergent

Odour Threshold : no data available

pH : 1-3



Melting point/freezing point : no data available

Boiling point/boiling range : no data available

Flash point :  $> 199.9 \, ^{\circ}\text{F} / > 93.3 \, ^{\circ}\text{C}$ 

Evaporation rate : 16.0

Flammability (solid, gas) : Combustible above 93 deg. C / 200 deg. F.

Flammability (liquids) : no data available

Upper explosion limit : no data available

Lower explosion limit : no data available

Vapour pressure : no data available

Relative vapour density : no data available

Relative density : 1.138

Density : no data available

Water solubility : soluble

Partition coefficient: n-octanol/water : no data available

Auto-ignition temperature : no data available

Decomposition temperature : no data available

Viscosity, dynamic : no data available

Viscosity, kinematic : no data available

Oxidizing properties : no data available

### **SECTION 10. STABILITY AND REACTIVITY**

Conditions to avoid : Sparks, open flame, other ignition sources, and elevated tem-

peratures.

Incompatible materials : Strong oxidizing agents

Strong acids strong alkalies

Hazardous decomposition products : Carbon monoxide, Carbon dioxide

Nitrogen Aldehydes Ketones

### **SECTION 11. TOXICOLOGICAL INFORMATION**



sure

Information on likely routes of expo- : Inhalation, skin, eyes, ingestion

**Acute toxicity** 

Acute oral toxicity : LD50 (Rat): Believed to be > 5,000 mg/kg

Acute inhalation toxicity Remarks: no data available

: LD50 (Rabbit): Believed to be > 5,000 mg/kg Acute dermal toxicity

Skin corrosion/irritation

Remarks: This material is expected to be moderately irritating.

Serious eye damage/eye irritation

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitisation

Remarks: This material is not known or reported to be a skin or respiratory sensitizer.

Carcinogenicity

**IARC** No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcino-

gen by NTP.

**ACGIH** Confirmed animal carcinogen with unknown relevance to hu-

mans

2-Butoxyethanol 111-76-2

**Further information** 

Remarks: no data available

## **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

no data available

Persistence and degradability

no data available

Bioaccumulative potential

**Components:** 

Citric acid:

Partition coefficient: n-octanol/water : log Pow: -1.72 (20 °C)

Method: OECD Test Guideline 107



# Mobility in soil

no data available

#### Other adverse effects

Ozone-Depletion Potential : Regulation: US. EPA Clean Air Act (CAA) Section 602 Ozone-

Depleting Substances (40 CFR 82, Subpt. A, App A & B) Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data for product. Individual constituents are as follows:

# **SECTION 13. DISPOSAL CONSIDERATIONS**

## **Disposal methods**

Waste from residues : If this product becomes a waste, it meets the criteria of a haz-

ardous waste as defined under 40 CFR 261 and would have

the following EPA hazardous waste number: D002.

As a hazardous liquid waste it must be disposed of in accord-

ance with local, state and federal regulations.

#### **SECTION 14. TRANSPORT INFORMATION**

**DOT** Not dangerous goods

UN number: Not applicableProper shipping name: Not applicableTransport hazard class: Not applicablePacking group: Not applicable



## **TDG**

UN number : 3265

**Proper shipping name** : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(1-Hydroxyethylidene-1,1-diphosphonic acid)

Transport hazard class : 8
Packing group : III
Labels : 8
Environmental hazards : no

**IATA** 

UN number : 3265

**Proper shipping name** : Corrosive liquid, acidic, organic, n.o.s.

(1-Hydroxyethylidene-1,1-diphosphonic acid)

Transport hazard class: 8Packing group: IIILabels: 8Environmental hazards: no

**IMDG** 

UN number : 3265

**Proper shipping name** : Corrosive liquid, acidic, organic, n.o.s.

(1-Hydroxyethylidene-1,1-diphosphonic acid)

Transport hazard class : 8
Packing group : III
Labels : 8
EmS Number 1 : F-A
EmS Number 2 : S-B

**Environmental hazards** : Marine pollutant: no

**ADR** 

UN number : 3265

**Proper shipping name** : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(1-Hydroxyethylidene-1,1-diphosphonic acid)

Transport hazard class : 8
Packing group : III
Classification Code : C3
Hazard Identification Number : 80
Labels : 8
Environmental hazards : no



#### **RID**

UN number : 3265

Proper shipping name : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(1-Hydroxyethylidene-1,1-diphosphonic acid)

Transport hazard class : 8
Packing group : III
Classification Code : C3
Hazard Identification Number : 80
Labels : 8
Environmental hazards : no

Special precautions for user : none

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC

Code

: Not applicable

#### **SECTION 15. REGULATORY INFORMATION**

## **EPCRA - Emergency Planning and Community Right-to-Know Act**

## **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

# SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 311/312 Hazards

See above: SECTION 2. Hazard Identification-GHS Classification

## **SARA 313**

Components	CAS-No.	Concentration
Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)omegahydroxy-	9016-45-9	6 - 10 %

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

Components	CAS-No.	Concentration
Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)omegahydroxy-	9016-45-9	4 - 6 %

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Components	CAS-No.	Concentration
2-Butoxyethanol	111-76-2	6 - 10 %



This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

#### **Clean Water Act**

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

# **US State Regulations**

# **Massachusetts Right To Know**

Components	CAS-No.
2-Butoxyethanol	111-76-2

## Pennsylvania Right To Know

Components	CAS-No.
2-Butoxyethanol	111-76-2
Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)omegahydroxy-	9016-45-9
Etidronic acid	2809-21-4

#### **New Jersey Right To Know**

Components	CAS-No.
2-Butoxyethanol	111-76-2
Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)omegahydroxy-	9016-45-9
Etidronic acid	2809-21-4
Citric acid	77-92-9

# California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **Canadian lists**

# NPRI

Components	CAS-No.
2-Butoxyethanol	111-76-2
Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)omegahydroxy-	9016-45-9

#### The components of this product are reported in the following inventories:

TSCA : The components of this product are listed on the TSCA Inven-

tory of Existing Chemical Substances.

# **SECTION 16. OTHER INFORMATION**

### Full text of other abbreviations



ACGIH : US. ACGIH Threshold Limit Values

ACGIH BEI : US. ACGIH. BEIs. Biological Exposure Indices NIOSH/GUIDE : US. NIOSH: Pocket Guide to Chemical Hazards

OSHA TRANS : US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR

1910.1000)

Z1A : US. OSHA Table Z-1-A (29 CFR 1910.1000)

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx -Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR -(Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH -Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

2

Revision Date : 2019.01.22

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Date format : yyyy/mm/dd

US / EN