

FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL:	1-800-654-6911 (OUTSIDE USA: 1-423-780-2970)
FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:	1-800-424-9300 (OUTSIDE USA: 1-703-527-3887)
FOR ALL SDS QUESTIONS & REQUESTS, CALL:	1-800-511-MSDS (OUTSIDE USA: 1-423-780-2347)

PRODUCT NAME: **LEISURE TIME BOOST**

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Supplier Leisure Time 1400 Bluegrass Lakes Parkway , Alpharetta, GA, 30004 USA	REVISION DATE: 05/26/2015 SUPERCEDES: 05/12/2009
Telephone: +17705215959 Telefax: +17705215959 Web: www.poolspacare.com	MSDS Number: 000000024520 SYNONYMS: Dihydrogen dioxide (solution) CHEMICAL FAMILY: None DESCRIPTION / USE: None established FORMULA: None established
Manufacturer Advantis Technologies 1200 Bluegrass Lakes Parkway Alpharetta, GA 30004 United States of America	

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Eye irritation : Category 2A

GHS Label element

Hazard pictograms :



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**
 P264 Wash skin thoroughly after handling.
 P280 Wear eye protection/ face protection.
Response:
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337 + P313 If eye irritation persists: Get medical advice/ attention.
Storage:
 P402 + P404 Store in a dry place. Store in a closed container.
 P410 + P403 Protect from sunlight. Store in a well-ventilated place.
Disposal:
 P501 Dispose of contents/container in accordance with local regulation.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>CAS OR CHEMICAL NAME</u>	<u>CAS #</u>	<u>% RANGE</u>
HYDROGEN PEROXIDE (H ₂ O ₂)	7722-84-1	7.5

SECTION 4. FIRST AID MEASURES

Inhalation: IF INHALED: Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops.

Skin Contact: IF ON SKIN: Flush skin with water for 15 minutes. Take off all contaminated clothing. Seek medical attention if irritation develops.

Eye Contact: IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention immediately.

Ingestion: IF SWALLOWED: Immediately drink water to dilute. Seek medical attention if symptoms develop. Never give anything by mouth to an unconscious person.

SECTION 5. FIREFIGHTING MEASURES

Flammability Summary (OSHA): Product is not known to be flammable, combustible, pyrophoric or explosive.

Flammable Properties

Fire / Explosion Hazards: Material will not ignite or burn. Oxygen is a decomposition product of hydrogen peroxide. The generation of oxygen will increase the burning rate or ignitable materials.

Extinguishing Media: Water spray

Fire Fighting Instructions: In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus. Use water to cool containers.

Hazardous Combustion Products: Oxygen

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency Situations: Use the personal protective equipment recommended in Section 8 and a NIOSH approved full-face positive pressure supplied-air respirator.

Spill Mitigation Procedures

Air Release:

Vapors may be suppressed by the use of water fog.

Water Release:

This material is soluble in water. Notify all downstream users of possible contamination. Divert water flow around spill if possible and safe to do so.

Land Release:

Contain spilled liquid with sand or earth. DO NOT use combustible materials such as sawdust. Dilute spilled material with large amounts of water. Do not place spill materials back in their original containers. After removal, flush contaminated area thoroughly with water. Avoid runoff into storm sewers and ditches which lead to waterways.

Additional Spill Information :

Stop source of spill as soon as possible and notify appropriate personnel. Utilize emergency response personal protection equipment prior to the start of any response. Evacuate all non-essential personnel. Dispose of spill residues per guidelines under Section 13, Disposal Consideration.

SECTION 7. HANDLING AND STORAGE

Handling: Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water. Avoid breathing mist or vapor.

Storage: Store in a cool, dry and well ventilated place. Isolate from incompatible materials. Keep product tightly sealed in original containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended exposure limit.

Protective Equipment for Routine Use of Product

Respiratory Protection : Wear a NIOSH approved respirator if levels above the exposure limits are possible., NIOSH approved full-face positive pressure supplied-air respirator
 Skin Protection : Wear impervious gloves to avoid skin contact.
 Eye Protection: Use chemical goggles.
 Protective Clothing Type: Butyl rubber, Neoprene, Natural rubber, Nitrile
 General Protective Measures: Emergency eyewash should be provided in the immediate work area.

Components with workplace control parameters

Components (CAS-No.)	Value	Control parameters	Basis (Update)
HYDROGEN PEROXIDE (H ₂ O ₂) (7722-84-1)	TWA	1 ppm	ACGIH (02 2014)

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: liquid
 Form: No data.
 Color: clear
 Odor: slight
 Molecular Weight: None established
 pH : 2.5 - 3.5
 Boiling Point: 214 °F (101 °C)
 Melting point/freezing point: No data
 Bulk Density: ()
 Vapor Pressure: 41.3 hPa
 86 °F (30 °C)
 Vapor Density: no data available
 Viscosity: no data available
 Solubility in Water: soluble in cold water
 Partition coefficient n-octanol/water: Not applicable
 Evaporation Rate: No data
 Oxidizing: None established
 Volatiles, % by vol.: 100%

VOC Content	This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCOMI Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.
HAP Content	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Stability and Reactivity Summary:	Stable under normal conditions.
Conditions to Avoid:	High temperatures, Contact with incompatible substances
Chemical Incompatibility:	Bases, Reducing agents, Contact with combustible materials may cause a fire., copper & copper alloys, metals, brass, Oxidizing agents, Incompatible with acids.
Hazardous Decomposition Products:	Oxygen is a decomposition product of hydrogen peroxide. The generation of oxygen will increase the burning rate or ignitable materials.
Decomposition Temperature:	No data

SECTION 11. TOXICOLOGICAL INFORMATION

Component Animal Toxicology

Oral LD50 value:

HYDROGEN PEROXIDE (H₂O₂) LD50 (35% Hydrogen Peroxide) = 1,232 mg/kg Rat

Component Animal Toxicology

Dermal LD50 value:

HYDROGEN PEROXIDE (H₂O₂) LD50 (35% Hydrogen Peroxide) > 2,000 mg/kg Rabbit

Component Animal Toxicology

Inhalation LC50 value:

HYDROGEN PEROXIDE (H₂O₂) Inhalation LC50 8 h (90% Hydrogen Peroxide) > 2000 ppm Rat
 Inhalation LC50 4 h (50% Hydrogen Peroxide) > 0.17 mg/l Rat

Product Animal Toxicity

Oral LD50 value: LD50 Believed to be > 5,000 mg/kg Rat

Dermal LD50 value: LD50 Believed to be > 5,000 mg/kg Rabbit

Inhalation LC50 value: no data available

Skin Irritation: Not expected to be irritating to the skin.

Eye Irritation: This material is expected to be moderately to severely irritating.

Skin Sensitization: This material is not known or reported to be a skin or respiratory sensitizer., A similar product was found to be a negative skin sensitizer in the Guinea pig maximization method test.

Acute Toxicity: Moderately to severely irritating to the eyes. Ingestion may cause gastrointestinal discomfort.

Subchronic / Chronic Toxicity: Not known or reported to cause subchronic or chronic toxicity.

Reproductive and Developmental Toxicity: No reproductive or developmental risk to humans is expected from exposure to this product.

HYDROGEN PEROXIDE (H₂O₂) Not known or reported to cause reproductive or developmental toxicity.

Mutagenicity: Not known or reported to be mutagenic.

HYDROGEN PEROXIDE (H₂O₂) This product has been tested for mutagenicity. Tests revealed both positive and negative results. Based on the weight of evidence, we judge this product NOT to be a mutagenic hazard.

Carcinogenicity: This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.

HYDROGEN PEROXIDE (H₂O₂) The International Agency for Research on Cancer (IARC) has classified this product or a component of this product as a Group 3 substance, Unclassifiable as to Its Carcinogenicity to Humans. The FDA determined that this product is not carcinogenic in laboratory animals.

SECTION 12. ECOLOGICAL INFORMATION

Overview: Slightly toxic to fish and other aquatic organisms.

Ecological Toxicity Values for: HYDROGEN PEROXIDE (H₂O₂)

Pimephales promelas (fathead minnow)	-	96 h LC50 = 16.4 mg/l
Channel Catfish (Ictalurus punctatus rafinesque),	-	96 h LC50 = 37.4 mg/l
Rainbow trout (Salmo gairdneri),	-	48 h Lethal > 40 mg/l
Daphnia magna,	-	24 h EC50= 7.7 mg/l
Daphnia pulex	-	48 h LC50= 2.4 mg/l

SECTION 13. DISPOSAL CONSIDERATIONS

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary : If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D.

Disposal Methods : As a nonhazardous waste, it should be disposed of in accordance with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

DOT

Not dangerous goods

TDG

Not dangerous goods

IATA

Not dangerous goods

IMDG-CODE

Not dangerous goods

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 302

The following components are subject to reporting levels established by SARA Title III, Section 302:

Hydrogen peroxide	7722-84-1
-------------------	-----------

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

Hydrogen peroxide 7722-84-1

Pennsylvania Right To Know

Hydrogen peroxide 7722-84-1

New Jersey Right To Know

Hydrogen peroxide 7722-84-1

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TSCA : The components of this product are listed on the TSCA Inventory of Existing Chemical Substances.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

SECTIONS REVISED: First formulated version in SAP.
Major References : Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT. .