

FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL:	1-800-654-6911 (OUTSIDE USA: 1-423-780-2970)
FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:	1-800-424-9300 (OUTSIDE USA: 1-703-527-3887)
FOR ALL SDS QUESTIONS & REQUESTS, CALL:	1-800-511-MSDS (OUTSIDE USA: 1-423-780-2347)

PRODUCT NAME: **RENDEZVOUS SPA SPECIALTIES ACTIVATE**

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

**Supplier**  
**Rendezvous**  
**1400 Bluegrass Lakes Parkway ,**  
**Alpharetta, GA, 30004**  
**USA**

**Telephone: +17705215999**  
**Telefax: +17705215999**  
**Web: www.poolspacare.com**

REVISION DATE:	05/26/2015
SUPERCEDES:	03/18/2011
MSDS Number:	000000024374
SYNONYMS:	None
CHEMICAL FAMILY:	None
DESCRIPTION / USE	None established
FORMULA:	None established

**Manufacturer**  
**Advantis Technologies**  
**1200 Bluegrass Lakes Parkway**  
**Alpharetta, GA 30004**  
**United States of America**

## SECTION 2. HAZARDS IDENTIFICATION

### GHS Classification

Oxidizing solids	:	Category 1
Acute toxicity (Oral)	:	Category 4
Acute toxicity (Inhalation)	:	Category 4
Skin irritation	:	Category 2
Serious eye damage	:	Category 1
Respiratory sensitisation	:	Category 1
Skin sensitisation	:	Category 1

RENDEZVOUS SPA SPECIALTIES ACTIVATE

REVISION DATE : 05/26/2015

Page 1 of 11

Reproductive toxicity : Category 1B

**GHS Label element**

Hazard pictograms :



Signal word : Danger

Hazard statements : H271 May cause fire or explosion; strong oxidiser.  
H302 + H332 Harmful if swallowed or if inhaled  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H360 May damage fertility or the unborn child.

Precautionary statements :

**Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat.  
P220 Keep/Store away from clothing/ combustible materials.  
P221 Take any precaution to avoid mixing with combustibles.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P283 Wear fire/ flame resistant/ retardant clothing.  
P285 In case of inadequate ventilation wear respiratory protection.

**Response:**

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.  
P306 + P360 IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.

P362 Take off contaminated clothing and wash before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P371 + P380 + P375 In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>CAS OR CHEMICAL NAME</u>	<u>CAS #</u>	<u>% RANGE</u>
POTASSIUM PEROXYMONOSULFATE	10058-23-8	25 - 35
Sodium tetraborate pentahydrate	12179-04-3	20 - 30
POTASSIUM SULFATE	7778-80-5	15 - 25
POTASSIUM BISULFATE	7646-93-7	10 - 20
POTASSIUM PEROXYDISULFATE	7727-21-1	1 - 3
MAGNESIUM CARBONATE	546-93-0	1 - 3
Carbonic acid, magnesium salt (1:1), mixt. with magnesium hydroxide (Mg(OH) <sub>2</sub> ), hydrate	39409-82-0	0 - 2

---

### SECTION 4. FIRST AID MEASURES

General Advice: Call a poison control center or doctor for treatment advice. For 24-hour emergency medical assistance, call Arch Chemical Emergency Action Network at 1-800-654-6911. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Inhalation:	IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Skin Contact:	IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Eye Contact:	IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Ingestion:	IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

---

## SECTION 5. FIREFIGHTING MEASURES

Flammability Summary (OSHA): Not combustible., The product is not flammable., The substance or mixture is not classified as pyrophoric., Not explosive

### Flammable Properties

Fire / Explosion Hazards:	Will release oxygen when heated, intensifying a fire 0 - Will not burn
Extinguishing Media:	Water
Fire Fighting Instructions:	In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus. Use a water spray to cool fully closed containers.
Hazardous Combustion Products:	During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency Situations: Wear protective gloves/protective clothing/eye protection/face protection.Wear respiratory protection.

### Spill Mitigation Procedures

Air Release:	Keep people away from and upwind of spill/leak.
Water Release:	If the product contaminates rivers and lakes or drains inform respective authorities.
Land Release:	Sweep up and shovel into suitable containers for disposal.Avoid creating dust.
Additional Spill Information :	Prevent further leakage or spillage if safe to do so. Use personal protective equipment as required. Evacuate personnel to safe areas.

## SECTION 7. HANDLING AND STORAGE

Handling: Avoid breathing dust. Do not take internally. Avoid contact with skin, eyes and clothing.

Storage: Protect from moisture. Keep containers tightly closed in a cool, well-ventilated place.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended exposure limit.

### Protective Equipment for Routine Use of Product

Respiratory Protection : Wear a NIOSH approved respirator if levels above the exposure limits are possible., A NIOSH approved full-face or half-face respirator in combination with chemical goggles., NIOSH approved half-face air purifying respirator with an N95 filter. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit.

Skin Protection : Wear impervious gloves, boots and apron to avoid skin contact. A full impervious suit is recommended if exposure is possible to a large portion of the body.

Eye Protection: Use chemical goggles.

Protective Clothing Type: Neoprene

General Protective Measures: Ensure that eyewash stations and safety showers are close to the workstation location.

### **Components with workplace control parameters**

Components (CAS-No.)	Value	Control parameters	Basis (Update)
Sodium tetraborate pentahydrate (12179-04-3)	TWA	2 mg/m <sup>3</sup>	ACGIH (02 2014)
	STEL	6 mg/m <sup>3</sup>	ACGIH (02 2014)
POTASSIUM PEROXYDISULFATE (7727-21-1) [as persulfate]	TWA	0.1 mg/m <sup>3</sup>	ACGIH (02 2014)

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: solid  
Form: No data.

Color:	No data.
Odor:	No data.
Molecular Weight:	None established
pH :	No data.
Boiling Point:	Not applicable
Melting point/freezing point	No data
Bulk Density:	( ) no data available
Vapor Pressure:	no data available
Vapor Density:	Not volatile
Viscosity:	no data available
Solubility in Water:	250 g/l 68 °F (20 °C)
Partition coefficient n-octanol/water:	Not applicable
Evaporation Rate:	Not applicable
Oxidizing:	None established
Volatiles, % by vol.:	no data available
VOC Content	no data available This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMII Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.
HAP Content	Not applicable

## SECTION 10. STABILITY AND REACTIVITY

Reactive Properties:	Stable under normal conditions.
Conditions to Avoid:	Heat, Exposure to moisture
Chemical Incompatibility:	This product is chemically reactive with many substances, including, e.g., other pool treatment products, acids, organics, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, corrosive, flammable or combustible materials., Halides, Avoid moisture., Heavy metals
Hazardous Decomposition Products:	Decomposes when heated or dampened, releasing oxygen and heat, Carbon dioxide (CO <sub>2</sub> ), Carbon monoxide, Chlorine
Decomposition Temperature:	No data

## SECTION 11. TOXICOLOGICAL INFORMATION

### Component Animal Toxicology

#### Oral LD50 value:

Sodium tetraborate pentahydrate	LD50 3,200 - 3,400 mg/kg =	Rat
POTASSIUM BISULFATE	LD50 = 2,340 mg/kg	Rat

Component Animal ToxicologyDermal LD50 value:

Sodium tetraborate pentahydrate LD50 > 2,000 mg/kg Rabbit

Component Animal ToxicologyInhalation LC50 value:

Sodium tetraborate pentahydrate Inhalation LC50 4 h > 2 mg/l Rat

Product Animal Toxicity

Oral LD50 value: LD50 Believed to be approximately 2,000 mg/kg Rat

Dermal LD50 value: LD50 Believed to be > 2,000 mg/kg Rabbit

Inhalation LC50 value: LC50 1 h (aerosol dust) Believed to be > 5 mg/l Rat

Skin Irritation: The dry material is irritating to the skin. However when wet, it will produce burns to the skin., Moderate skin irritation, Irritating to skin.

Eye Irritation: Corrosive to eyes

Skin Sensitization: May produce an allergic reaction.

Acute Toxicity: Moderate Skin Irritant The dry material is irritating to the skin. However when wet, it will produce burns to the skin. Corrosive to eyes

Subchronic / Chronic Toxicity: Not known or reported to cause subchronic or chronic toxicity.

Reproductive and Developmental Toxicity: This product has not been tested for reproductive or developmental effects. However, this product contains an ingredient which has been shown to be a possible reproductive or developmental hazard based on animal studies. Caution should therefore be utilized when handling this product and exposures should be minimized.

Sodium tetraborate pentahydrate

Boric acid has been evaluated in several laboratory animal species and in only one species was found to cause fetotoxicity at maternally toxic doses. Based on this data, this product may have the potential to cause developmental toxicity.

Mutagenicity: Not known or reported to be mutagenic.

Carcinogenicity: This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.

---

## SECTION 12. ECOLOGICAL INFORMATION

Overview: Moderately toxic to fish and other aquatic organisms.

Ecological Toxicity Values for: Sodium tetraborate pentahydrate

- Rainbow trout (embryo - larval stage) - 24 day LC50 (chronic toxicity) = 88 mg/l  
 Daphnia magna, - 24 h EC50= 242 mg/l  
 Green algae (Scenedesmus subspicatus) - 96 h EC10 = 24 mg/l

Ecological Toxicity Values for: POTASSIUM SULFATE

- Lepomis macrochirus (Bluegill sunfish) - 96 hr. EC50 (cell growth inhibition) 96 h LC50 = 3,550 mg/l  
 Pimephales promelas (fathead minnow) - 96 h LC50 = 680 mg/l  
 Daphnia magna (Water flea) - 48 h EC50= 720 mg/l

Ecological Toxicity Values for: POTASSIUM PEROXYDISULFATE

- Cyprinus carpio (Carp) - 48 h LC50 = 1,360 mg/l  
 Oncorhynchus mykiss (rainbow trout) - 48 h LC50 = 234 mg/l  
 Poecilia reticulata (guppy) - 48 h LC50 = 845 mg/l  
 Daphnia magna (Water flea) - 48 h LC50= 92 mg/l

**SECTION 13. DISPOSAL CONSIDERATIONS**

**CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.**

Waste Disposal Summary : IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL

Disposal Methods : As a nonhazardous waste, it should be disposed of in accordance with local, state and federal regulations.

**SECTION 14. TRANSPORT INFORMATION****DOT**

UN number : 3260  
 Description of the goods : Corrosive solid, acidic, inorganic, n.o.s.



: (Potassium hydrogenperoxomonosulphate)  
 Class : 8  
 Packing group : II  
 Labels : 8  
 Emergency Response : 154  
 Guidebook Number

**TDG**

UN number : 3260  
 Description of the goods : CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.  
 (Potassium hydrogenperoxomonosulphate)  
 Class : 8  
 Packing group : II  
 Labels : 8

**IATA**

UN number : 3260  
 Description of the goods : Corrosive solid, acidic, inorganic, n.o.s.  
 (Potassium hydrogenperoxomonosulphate)  
 Class : 8  
 Packing group : II  
 Labels : 8  
 Packing instruction (cargo aircraft) : 863  
 Packing instruction (passenger aircraft) : 859  
 Packing instruction (passenger aircraft) : Y844

**IMDG-CODE**

UN number : 3260  
 Description of the goods : CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.  
 (Potassium hydrogenperoxomonosulphate)  
 Class : 8  
 Packing group : II  
 Labels : 8  
 EmS Number 1 : F-A  
 EmS Number 2 : S-B

---

## SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know Act

**SARA 302**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

#### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

#### US State Regulations

##### Massachusetts Right To Know

Sodium tetraborate pentahydrate	12179-04-3
Dipotassium peroxodisulphate	7727-21-1
Magnesium carbonate	546-93-0

##### Pennsylvania Right To Know

Potassium hydrogenperoxomonosulphate	10058-23-8
Sodium tetraborate pentahydrate	12179-04-3
Potassium sulfate	7778-80-5
Potassium hydrogensulphate	7646-93-7
Dipotassium peroxodisulphate	7727-21-1

##### New Jersey Right To Know

Potassium hydrogenperoxomonosulphate	10058-23-8
Sodium tetraborate pentahydrate	12179-04-3
Potassium sulfate	7778-80-5
Potassium hydrogensulphate	7646-93-7
Dipotassium peroxodisulphate	7727-21-1
Magnesium carbonate	546-93-0

**California Prop 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**The components of this product are reported in the following inventories:**

TSCA	: The components of this product are listed on the TSCA Inventory of Existing Chemical Substances.
	: Sodium tetraborate pentahydrate
	: silica, amorphous, fumed
	: Carbonic acid, magnesium salt (1:1), mixt. with magnesium hydroxide (Mg(OH) <sub>2</sub> ), hydrate

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

**SECTION 16. OTHER INFORMATION**

SECTIONS REVISED: 1  
Major References : Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT. .