FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL:

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:

FOR ALL SDS QUESTIONS & REQUESTS, CALL:

1-800-654-6911 (OUTSIDE USA: 1-423-780-2970) 1-800-424-9300 (OUTSIDE USA: 1-703-527-3887) 1-800-511-MSDS (OUTSIDE USA: 1-423-780-2347)

PRODUCT NAME: ROBARB POOL SPECICIALTIES POOLGEVITY

MSDS Number:

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Advantis Technologies 1200 Bluegrass Lakes Parkway Alpharetta, GA 30004 United States of America
 REVISION DATE:
 05/26/2015

 SUPERCEDES:
 12/09/2011

00000024506

SYNONYMS: CHEMICAL FAMILY: None DESCRIPTION / USE None est FORMULA: None est

None None established None established

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Oxidizing solids	:	Category 3
Acute toxicity (Oral)		Category 4
	:	Category 2
	-	
	:	Category 1
Serious eye damage	:	Category 1
GHS Label element		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements		H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction.

	H318 Causes serious eye damage.
Precautionary statements :	 Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P220 Keep/Store away from clothing/ combustible materials. P221 Take any precaution to avoid mixing with combustibles. P261 Avoid breathing vapours. P264 Wash hands thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Pason + P312 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/ physician. P330 Rinse mouth. P370 + P378 In case of fire: Use water spray, alcohol-resistant form, dry chemical or carbon dioxide to extinguish. P501 Dispose of contents/container in accordance with local regulation.
Other hazards	

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>CAS OR CHEMICAL NAME</u> 2,4-IMIDAZOLIDINEDIONE, 1-BROMO-3- CHLORO-5,5-DIMEMETHYL	<u>CAS #</u> 16079-88-2	<u>% RANGE</u> 54.2
2,4-IMIDAZOLIDINEDIONE, 1,3- DICHLORO-5,5-DIMETHYL	118-52-5	28.9
2,4-IMIDAZOLIDINEDIONE, 1,3- DICHLORO-5-ETHYL-5-METHYL	89415-87-2	15.9
SODIUM CHLORIDE	7647-14-5	1.0

SECTION 4. FIRST AID MEASURES

General Advice:	Call a poison control center or doctor for treatment advice. For 24-hour emergency medical assistance, call Arch Chemical Emergency Action Network at 1-800-654-6911. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
Inhalation:	IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Skin Contact:	IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Eye Contact:	IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Ingestion:	IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Notes to Physician:	Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 5. FIREFIGHTING MEASURES

Flammability Summary (OSHA):	Combustible above 93 deg. C / 200 deg. F.
Flammable Properties Flash Point:	> 93.34 °C
Autoignition Temperature:	No data
Fire / Explosion Hazards:	May intensify fire; oxidiser. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Dust in air can be an explosion hazard.
Extinguishing Media:	Water Foam Dry chemical
Fire Fighting Instructions:	Use water spray to cool unopened containers. In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus.
Upper Flammable / Explosive Limit, % in air:	No data
Lower Flammable / Explosive Limit, % in air:	No data

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency Situations:	Additional protective clothing must be worn to prevent personal contact with this material. Those items include but are not limited to boots, impervious gloves, hard hat, splash-proof goggles, impervious clothing, i.e., chemically impermeable suit, self-contained breathing apparatus.
Spill Mitigation Procedures	
Air Release:	Keep people away from and upwind of spill/leak.
Water Release:	If the product contaminates rivers and lakes or drains inform respective authorities.
Land Release:	Sweep up and shovel into suitable containers for disposal.Avoid creating dust.
Additional Spill Information :	Prevent further leakage or spillage if safe to do so. Use personal protective equipment as required. Evacuate personnel to safe areas. Remove all sources of ignition.

SECTION 7. HANDLING AND STORAGE

Handling:	Do not take internally. Avoid contact with skin, eyes and clothing. If in eyes or on skin, rinse well with water. Avoid breathing dust.
Storage:	Store in a cool dry ventilated location, away from sources of ignition or other incompatible conditions and chemicals. Keep container(s) closed.
Shelf Life Limitations:	Maximum storage temperature:
Incompatible Materials for Storage:	Refer to Section 10, "Incompatible Materials."
Do Not Store At temperatures Above:	37 °C
Empty Container Warning:	Empty containers retain hazardous residue, dispose of accordingly.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation:	Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended exposure limit.	
Protective Equipment for Ro	utine Use of Product	
Respiratory Protection :	Wear a NIOSH approved respirator if levels above the exposure limits are possible., A NIOSH approved air purifying respirator with organic vapor cartridge and N95 particulate filter. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit.	
Skin Protection :	Impervious gloves When exposure to high concentrations are prolonged or repeated use protective boots and apron in addition to gloves.	
Eye Protection: Protective Clothing Type:	Chemical resistant goggles must be worn. impervious clothing, Neoprene	

General Protective En Measures: wo

Ensure that eyewash stations and safety showers are close to the workstation location.

Components with workplace control parameters

Components (CAS-No.)	Value	Control parameters	Basis (Update)
2,4-IMIDAZOLIDINEDIONE, 1,3- DICHLORO-5,5-DIMETHYL (118-52-5)	TWA	0.2 mg/m3	ACGIH (02 2014)
	STEL	0.4 mg/m3	ACGIH (02 2014)

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Form Color: Odor: Molecular Weight: Relative density	solid tablet off-white slight, pungent No data
pH : Boiling Point: Melting point/freezing point Density	3.6 77.0 °F (25.0 °C) 10.0 g/l 248 - 298 °F (120 - 148 °C) No data
Vapor Pressure: Vapor Density: Viscosity: Solubility in Water: Partition coefficient n- octanol/water: Evaporation Rate: Oxidizing: Volatiles, % by vol.: VOC Content	Not applicable Not applicable 5.4 g/l (@ 25 Deg. C) Not applicable Product has oxidizing properties. Not volatile This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.
HAP Content	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Stability and Reactivity Summary:	Stable under normal conditions., Product will not undergo
	hazardous polymerization.
Conditions to Avoid:	Heat, flames and sparks., Exposure to moisture

Chemical Incompatibility:

Decomposition Temperature:

Hazardous Decomposition Products:

Strong acids and strong bases, Oxidizing agents, Reducing agents, Organic materials, Avoid moisture. Carbon oxides, Bromine, Chlorine, Nitrogen No data

SECTION 11. TOXICOLOGICAL INFORMATION

Component Animal Toxicology Oral LD50 value: 2.4-LD50 = 929 mg/kgRat IMIDAZOLIDINEDIONE , 1-BROMO-3-CHLORO-5,5-DIMEMETHYL 2.4-LD50 = 542 mg/kgRat IMIDAZOLIDINEDIONE , 1,3-DICHLORO-5,5-DIMETHYL 2.4-No data IMIDAZOLIDINEDIONE , 1,3-DICHLORO-5-ETHYL-5-METHYL SODIUM CHLORIDE LD50 = 3,000 mg/kg Rat Component Animal Toxicology Dermal LD50 value: 2.4-LD50 > 2,000 mg/kg Rabbit IMIDAZOLIDINEDIONE , 1-BROMO-3-CHLORO-5,5-DIMEMETHYL 2.4-LD50 > 20,000 mg/kg Rabbit IMIDAZOLIDINEDIONE , 1,3-DICHLORO-5,5-DIMETHYL 2.4-No data IMIDAZOLIDINEDIONE , 1,3-DICHLORO-5-ETHYL-5-METHYL SODIUM CHLORIDE LD50 > 10,000 mg/kg Rabbit Component Animal Toxicology Inhalation LC50 value: 2.4-Inhalation LCLo 1 h = 20 mg/l Rat IMIDAZOLIDINEDIONE , 1,3-DICHLORO-5,5-DIMETHYL ROBARB POOL SPECICIALTIES POOLGEVITY REVISION DATE : 05/26/2015 Page 6 of 12

2,4- IMIDAZOLIDINEDION	No data E	
, 1,3-DICHLORO-5- ETHYL-5-METHYL SODIUM CHLORIDE	Inhalation LC50 1 h	> 42 mg/l Rat
<u>Product Animal Toxicit</u> <u>Oral LD50 value</u> : <u>Dermal LD50 value</u> : Inhalation LC50 value:	LD50 = 468 - 477 mg LD50 Believed to be > LC50 no data availabl	> 2,000 mg/kg Rabbit
Skin Irritation:	This material is expecte = 3.84/8.0	d to be mildly to moderately irritating., Draize score, Rabbit
Eye Irritation: Skin Sensitization:	Corrosive to eyes	sensitization in some individuals.
2,4-IMIDAZO BROMO-3-CI DIMEMETHY		Positive skin sensitizer, guinea pig - Buehler Method
	LIDINEDIONE, 1,3- 5,5-DIMETHYL	Positive skin sensitizer, guinea pig - Buehler Method
Acute Toxicity:	Corrosive to the eyes ar tract.	nd mildly to moderately irritating to the skin and respiratory
Subchronic / Chronic Toxicity:		o cause subchronic or chronic toxicity.
Reproductive and Not known or reported to cause reproductive or developmental toxicity.		rted to cause reproductive or developmental toxicity.
Mutagenicity:	Not known or repo	rted to be mutagenic.
-	LIDINEDIONE, 1,3- 5,5-DIMETHYL	This product was determined to be non-mutagenic in the Ames assay.
	LIDINEDIONE, 1,3- 5-ETHYL-5-METHYL	Not known or reported to be mutagenic.
Carcinogenicity:		known or reported to be carcinogenic by any reference ARC, OSHA, NTP or EPA.
2,4-IMIDAZOLIDINEDIONE, 1,3- DICHLORO-5,5-DIMETHYL		This chemical is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP, or EPA.
	LIDINEDIONE, 1,3- 5-ETHYL-5-METHYL	This chemical is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP, or EPA.

SECTION 12. ECOLOGICAL INFORMATION

g/l
g/l
g/l (as Br2)
g/l
ng/l
ng/l (as Br2)

Ecological Toxicity Values for: 2,4-IMIDAZOLIDINEDIONE, 1-BROMO-3-CHLORO-5,5-DIMEMETHYL

Oncorhynchus mykiss (rainbow trout)	-	static test 96 h LC50 = 0.40 mg/l
Lepomis macrochirus (Bluegill sunfish)	-	static test 96 h LC50 = 0.46 mg/l
Cyprinodon variegatus (sheepshead minnow)	-	flow-through test 96 h LC50 = 1.2 mg/l
Daphnia magna (Water flea) Opossum Shrimp	-	static test 48 h EC50= 0.75 mg/l flow-through test 96 h LC50= 0.92 mg/l
Crassostrea virginica (Eastern ovster)	-	flow-through test 96 h EC50= 1.1 mg/l
Colinus virginianus (Bobwhite quail)	-	Oral LD50 = 1,839 mg/kg
Colinus virginianus (Bobwhite quail)	-	Dietary LC50 > 5,620 ppm
Anas platyrhynchos (Mallard duck)	-	Dietary LC50 > 5,000 ppm

SECTION 13. DISPOSAL CONSIDERATIONS

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary :

If this product becomes a waste, it meets the criteria of a hazardous waste as defined under 40 CFR 261 and would have the following EPA hazardous waste number: D001.As a hazardous solid waste, it must be disposed of in accordance with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

DOT UN number Description of the goods Class Packing group Labels Emergency Response Guidebook Number	 3085 Oxidizing solid, corrosive, n.o.s. (Halogenated hydantoins) 5.1 III 5.1 (8) 140
TDG UN number Description of the goods Class Packing group Labels	 3085 OXIDIZING SOLID, CORROSIVE, N.O.S. (Halogenated hydantoins) 5.1 III 5.1 (8)
IATA UN number Description of the goods Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passenger aircraft) Packing instruction (passenger aircraft)	 3085 Oxidizing solid, corrosive, n.o.s. (Halogenated hydantoins) 5.1 III 5.1 (8) 563 559 Y545
IMDG-CODE UN number Description of the goods Class Packing group Labels EmS Number 1 EmS Number 2 Marine pollutant	 3085 OXIDIZING SOLID, CORROSIVE, N.O.S. (Halogenated hydantoins) 5.1 III 5.1 (8) F-A S-Q yes

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

Signal word	:	DANGER!
Hazard statements	:	Causes substantial but temporary eye injury. Corrosive. Causes skin burns. Corrosive. Causes irreversible eye damage. This pesticide is toxic to fish.
		•

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

SAFETY DATA SHEET

Dennovlyania Dight To Know	1,3-dichloro-5,5- dimethylhydantoin	118-52-5					
Pennsylvania Right To Know	1-bromo-3-chloro-5,5- dimethylimidazolidine-2,4- dione	16079-88-2					
	1,3-dichloro-5,5-	118-52-5					
	dimethylhydantoin 1,3-dichloro-5-ethyl-5- methylimidazolidine-2,4- dione	89415-87-2					
New Jersey Right To Know							
	1-bromo-3-chloro-5,5- dimethylimidazolidine-2,4- dione	16079-88-2					
	1,3-dichloro-5,5-	118-52-5					
	dimethylhydantoin 1,3-dichloro-5-ethyl-5- methylimidazolidine-2,4- dione	89415-87-2					
California Prop 65							
	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.						
The components of this product are reported in the following inventories:							
TSCA	This is an EPA registered pesticide.						
:	Bromine Tabs Lonza (round) fast Dantobrom S					
Inventories							
AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)							

SECTION 16. OTHER INFORMATION

SECTIONS REVISED:14Major References :Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT.