FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL: 1-800-654-6911 (OUTSIDE

1-800-424-9300 (OUTSIDE FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:

USA: 1-703-527-3887) FOR ALL SDS QUESTIONS & REQUESTS, CALL: 1-800-511-MSDS (OUTSIDE

USA: 1-423-780-2347)

USA: 1-423-780-2970)

PRODUCT NAME: Citra Bright

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

**Advantis Technologies** 1200 Bluegrass Lakes Parkway

Alpharetta, GA 30004 **United States of America**  **REVISION DATE:** 05/26/2015 SUPERCEDES: 10/20/2011

MSDS Number: SYNONYMS:

FORMULA:

None

CHEMICAL FAMILY: DESCRIPTION / USE

None established None established

000000024469

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Flammable liquids Category 3

Skin sensitisation Category 1

Eye irritation Category 2B

Specific target organ toxicity -

repeated exposure (Oral)

Category 2 (Kidney)

Specific target organ toxicity -

repeated exposure (Oral)

Category 2 (Blood)

GHS Label element

Hazard pictograms







Signal word Warning

H226 Flammable liquid and vapour. Hazard statements

H317 May cause an allergic skin reaction.

Citra Bright

Page 1 of 11 REVISION DATE: 05/26/2015

H320 Causes eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

#### Precautionary statements

#### Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P260 Do not breathe vapours.

P261 Avoid breathing vapours.

P264 Wash hands thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing.

#### Response:

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P314 Get medical advice/ attention if you feel unwell.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see supplemental first aid instructions on this label).

P362 + P364 Take off contaminated clothing and wash it before reuse.

#### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards

None known.

Citra Bright

REVISION DATE: 05/26/2015 Page 2 of 11

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

CAS OR CHEMICAL NAME Citrus, ext.	<u>CAS#</u> 94266-47-4	<u>% RANGE</u> 5 - 15
Butoxydiglycol	112-34-5	4 - 14
Cocamide DEA	61791-31-9	7.92 - 9.24
Unknown		1.98 - 3.96
Diethanolamine	111-42-2	1.32 - 1.98

## **SECTION 4. FIRST AID MEASURES**

Inhalation: IF INHALED: Remove individual to fresh air. Seek medical attention if breathing

becomes difficult or if respiratory irritation develops.

Skin Contact: IF ON SKIN: Flush skin with water for 15 minutes. Take off all contaminated

clothing. Seek medical attention if irritation develops.

Eye Contact: IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes.

Seek medical attention immediately.

Ingestion: IF SWALLOWED: Immediately drink water to dilute. Seek medical attention if

symptoms develop. Never give anything by mouth to an unconscious person.

#### **SECTION 5. FIREFIGHTING MEASURES**

Flammability Summary (OSHA): Combustible.

Flammable Properties

Flash Point: 50.00 °C

Fire / Explosion Hazards: Vapors may be ignited by sparks, flames or other sources of ignition

if material is above the flash point giving rise to a flash fire. Vapors are heavier than air and may travel to a source of ignition and flash

back.

Extinguishing Media: Carbon dioxide (CO2) Foam Dry chemical

Fire Fighting Instructions: Use water spray to cool unopened containers. In case of fire, use

normal fire-fighting equipment and the personal protective

equipment recommended in Section 8 to include a NIOSH approved

self-contained breathing apparatus.

Citra Bright

REVISION DATE: 05/26/2015 Page 3 of 11

Hazardous Combustion Products: During a fire, irritating and highly toxic gases may be generated by

thermal decomposition or combustion.

Upper Flammable / Explosive Limit,

% in air:

Lower Flammable / Explosive Limit.

% in air:

No data

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal Protection for Emergency

Situations:

Use the personal protective equipment recommended in Section 8

and a NIOSH approved self-contained breathing apparatus.

Spill Mitigation Procedures

Air Release: Hazardous concentrations in air may be found in local spill area and

immediately downwind. Vapors may be suppressed by the use of

water fog.

Water Release: Notify all downstream users of possible contamination. Divert water

flow around spill if possible and safe to do so.

Land Release: Contain spillage, soak up with non-combustible absorbent material,

(e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). After removal, flush contaminated area thoroughly with water. Avoid runoff into storm sewers and ditches which lead to

waterways.

Additional Spill Information: Prevent further leakage or spillage if safe to do so. Use personal

protective equipment as required. Evacuate personnel to safe areas.

Remove all sources of ignition.

## **SECTION 7. HANDLING AND STORAGE**

Handling: Do not take internally. Avoid contact with skin, eyes and clothing. If

in eyes or on skin, rinse well with water. Avoid breathing vapours,

mist or gas.

Storage: Store in a cool, dry and well ventilated place. Isolate from

incompatible materials. Do not freeze.

Incompatible Materials for Storage: Refer to Section 10, "Incompatible Materials."

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: Local exhaust ventilation or other engineering controls are normally required

when handling or using this product to keep airborne exposures below the

TLV, PEL or other recommended exposure limit.

Protective Equipment for Routine Use of Product

Citra Bright

REVISION DATE: 05/26/2015 Page 4 of 11

Respiratory Protection: Wear a NIOSH approved respirator if levels above the exposure limits are

possible., A NIOSH approved half-face air purifying respirator with organic vapor cartridge. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10)

times the published limit.

Skin Protection: Impervious gloves

Eye Protection: Chemical resistant goggles must be worn.

Protective Clothing Type: impervious clothing

General Protective Ensure that eyewash stations and safety showers are close to the

Measures: workstation location.

#### Components with workplace control parameters

Components (CAS-No.)	Value	Control parameters	Basis (Update)
Butoxydiglycol (112-34-5)	TWA	10 ppm	ACGIH (02 2014)
Diethanolamine (111-42-2)	TWA	1 mg/m3	ACGIH (02 2014)
		Dermal absorption possible	ACGIH (02 2014)

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical State: liquid
Form No data.
Color: No data.
Odor: No data.

Molecular Weight: None established

pH: 9.7 - 9.9

()

Boiling Point: No Data

Melting point/freezing

Not applicable

point

Density Not applicable

Vapor Pressure: No data Vapor Density: No data

Viscosity: no data available

Solubility in Water: No data
Partition coefficient n- No data.

octanol/water:

Evaporation Rate: no data available Oxidizing: None established Volatiles, % by vol.: no data available

VOC Content This product does not contain any chemicals listed under the

U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's

(40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Citra Bright

REVISION DATE: 05/26/2015 Page 5 of 11

HAP Content Not applicable

#### **SECTION 10. STABILITY AND REACTIVITY**

Stability and Reactivity Summary: Stable under normal conditions., Product will not undergo

hazardous polymerization.

Conditions to Avoid: Heat, flames and sparks., Avoid freezing.

Chemical Incompatibility: Oxidizing agents, Acids Hazardous Decomposition Products: Carbon oxides, Smoke

Decomposition Temperature: No data

## **SECTION 11. TOXICOLOGICAL INFORMATION**

## Component Animal Toxicology

Oral LD50 value:

Citrus, ext. LD50 > 5,000 mg/kg Rabbit Butoxydiglycol LD50 > 5,000 mg/kg Rat

Cocamide DEA LD50 = 1,000 - 2,000 mg/kg Rat

Unknown LD50 Believed to be approximately 5,461 mg/kg Rat

Diethanolamine LD50 = 680 mg/kg Rat

#### **Component Animal Toxicology**

Dermal LD50 value:

Citrus, ext. LD50 > 5,000 mg/kg Rabbit Butoxydiglycol LD50 > 2,000 mg/kg Rabbit

Cocamide DEA no data available Unknown no data available

Diethanolamine LD50 > 8,300 mg/kg Rabbit

#### Component Animal Toxicology

Inhalation LC50 value:

Citrus, ext. no data available

Butoxydiglycol Inhalation LC50 7 h Believed to be > 18 ppm Rat

Cocamide DEA no data available

Unknown no data available

Diethanolamine no data available

**Product Animal Toxicity** 

Oral LD50 value: LD50 Believed to be approximately 5,600 mg/kg Rat

Citra Bright

REVISION DATE: 05/26/2015 Page 6 of 11

LD50 Believed to be > 5,000 mg/kg Dermal LD50 value: Rabbit no data available

Inhalation LC50

value:

Skin Irritation: May cause mild skin irritation.

Moderate eye irritant Eve Irritation:

May cause allergic skin sensitization in some individuals. Skin Sensitization:

Acute Toxicity: May cause mild skin irritation and moderate eye irritation. Inhalation of mist/vapors

may cause mucous membrane irritation (includes upper respiratory tract).

Ingestion may cause gastrointestinal discomfort.

Subchronic / Chronic

Exposure to large quantities may result in red blood cell hemolysis and possible

Toxicity: kidney damage.

Reproductive and **Developmental Toxicity:**  Not known or reported to cause reproductive or developmental toxicity.

Butoxydiglycol This product has been tested and was shown not to produce any adverse effects on reproductive function or

fetal development when administered to laboratory

animals.

Not known or reported to be mutagenic. Mutagenicity:

> Butoxydiglycol This chemical has been shown to be non-mutagenic

> > based on a battery of assays.

Diethanolamine Not known or reported to be mutagenic.

Carcinogenicity: This product is not known or reported to be carcinogenic by any reference

source including IARC, OSHA, NTP or EPA.

Butoxydiglycol This chemical is not known or reported to be

carcinogenic by any reference source including IARC,

OSHA, NTP, or EPA.

Diethanolamine The International Agency for Research on Cancer

(IARC) has classified this product or a component of this product as a Group 3 substance, Unclassifiable as

to Its Carcinogenicity to Humans.

## **SECTION 12. ECOLOGICAL INFORMATION**

Overview: Moderately toxic to fish and other aquatic organisms.

**Ecological Toxicity Values - Product:** 

LC50 Believed to be approximately 2.6 mg/l (calculated)

Ecological Toxicity Values for: Butoxydiglycol

Bluegill - 96 h LC50 1,300 mg/l

Citra Bright

REVISION DATE: 05/26/2015 Page 7 of 11 Ecological Toxicity Values for: Cocamide DEA

Fish - 96 h LC 50 = 0.28 mg/l

Daphnia magna (Water flea) - 48 h EC50= 0.84 mg/l

Ecological Toxicity Values for: Diethanolamine

Lepomis macrochirus (Bluegill - (static). 96 h LC50 = 1,850 mg/l

sunfish)

Pimephales promelas (fathead - 96 h LC50 = 837 mg/l

minnow)

Daphnia magna, - 48 h LC50= 122 mg/l

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary: If this product becomes a waste, it DOES NOT meet the criteria of a

hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D.As a nonhazardous liquid waste, it should be disposed of in accordance with local, state

and federal regulations.

#### SECTION 14. TRANSPORT INFORMATION

DOT

UN number : 1993

Description of the goods : Combustible liquid, n.o.s.

: (Citrus, ext.)

Class : CBL
Packing group : III
Emergency Response : 128

Guidebook Number

TDG

UN number : 1993

Description of the goods : FLAMMABLE LIQUID, N.O.S.

(Citrus, ext.)

Citra Bright

REVISION DATE: 05/26/2015 Page 8 of 11

Class : 3
Packing group : III
Labels : 3

IATA

UN number : 1993

Description of the goods : Flammable liquid, n.o.s.

(Citrus, ext.)

Class : 3
Packing group : III
Labels : 3
Packing instruction (cargo : 366

aircraft)

Packing instruction : 355

(passenger aircraft)

Packing instruction : Y344

(passenger aircraft)

IMDG-CODE

UN number : 1993

Description of the goods : FLAMMABLE LIQUID, N.O.S.

(Citrus, ext.)

Class : 3
Packing group : III
Labels : 3
EmS Number 1 : F-E
EmS Number 2 : S-E

## **SECTION 15. REGULATORY INFORMATION**

# **EPCRA - Emergency Planning and Community Right-to-Know Act**

# **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
2,2'-Iminodiethanol	111-42-2	100	

#### **SARA 302**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313**

The following components are subject to reporting levels established by SARA Title III, Section 313:

2-(2- 112-34-5

Butoxyethoxy)eth

anol

Citra Bright

REVISION DATE: 05/26/2015 Page 9 of 11

2,2'- 111-42-2 Iminodiethanol

#### Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

2-(2-Butoxyethoxy)ethanol 112-34-5 9.95 % 2,2'-Iminodiethanol 111-42-2 1.98 %

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

## **US State Regulations**

Massachusetts Right To Know

2,2'-Iminodiethanol 111-42-2

Pennsylvania Right To Know

Citrus, ext. 94266-47-4 2-(2-Butoxyethoxy)ethanol 112-34-5 2,2'-Iminodiethanol 111-42-2

**New Jersey Right To Know** 

Citrus, ext. 94266-47-4 2-(2-Butoxyethoxy)ethanol 112-34-5 2,2'-Iminodiethanol 111-42-2

California Prop 65

WARNING! This product contains a chemical known to the State of California to cause cancer.

2,2'-Iminodiethanol 111-42-2

Citra Bright

REVISION DATE: 05/26/2015 Page 10 of 11

## The components of this product are reported in the following inventories:

TSCA : The components of this product are listed on the TSCA

Inventory of Existing Chemical Substances.

: dye Pylaklor Fst Orange LX -6215

: Citrus, ext.

amine soap confidential

#### **Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

# **SECTION 16. OTHER INFORMATION**

SECTIONS REVISED: 3

Major References : Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT.

Citra Bright

REVISION DATE: 05/26/2015 Page 11 of 11